



SECTION 24(c) SPECIAL LOCAL NEED

EPA REG. NO. 55146-72
EPA SLN NO. ND - 030011

Agri Tin®

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF NORTH DAKOTA

FOR CONTROL OF CERCOSPORA ON SUGAR BEETS

RESTRICTED USE PESTICIDE

Because of the high acute toxicity of triphenyltin hydroxide and its potential for affecting fetal development, this product may be applied only by certified applicators or persons directly under their supervision. For retail sale to and use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators Certification.

FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL. THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. THIS LABELING CONTAINS SUPPLEMENTAL INSTRUCTIONS AND RESTRICTIONS FOR USE OF THIS PRODUCT WHICH MAY NOT APPEAR ON THE PACKAGE LABEL.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

APPLICATION INSTRUCTIONS FOR CONTROL OF CERCOSPORA ON SUGAR BEETS

Use Rate: 2.5 to 5.0 ounces per acre (15 to 7.5 acres per 2.34 lb. twin-pack or 7.5 to 3.25 acres per single-pack).

Ground (Closed cabs only): Apply in at least 15 gallons of water. Full coverage of foliage is necessary for best results.

Aerial (Helicopter or fixed wing aircraft): Apply in 5 to 10 gallons of water.

Ground and Aerial Applications:

Diluted spray should be directed uniformly to all parts of the plant. Use lower gallonage when plants are small and increase volume with plant size. Use lower rate for protective sprays and the higher rates later in the season or during high infection periods. Applications should begin when Leaf Spot conditions appear or when the disease is in the area and repeated at 10 to 14 day intervals. Do not exceed 15 fluid ounces per acre per season. Do not treat within 7 days of harvest. Do not graze or feed beet tops to livestock.

NOTICE

Read the "LIMIT OF WARRANTY AND LIABILITY" in the EPA registered label before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

This label will expire on August 01, 2013

**Section 24(c) Registrant:
Nufarm Americas Inc. AGT Division
Burr Ridge, IL 60527**

Agri Tin® is a registered trademark of Nufarm Americas Inc.