

Restricted Use Pesticide

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**REGISTRATION FOR SPECIAL LOCAL NEED
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF NORTH DAKOTA**

CHLORPYRIFOS 4E AG

EPA Reg. No. 51036-291

FOR CONTROL OF WHEAT MIDGE INFESTING WHEAT

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Chlorpyrifos 4E AG before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Chlorpyrifos 4E AG according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Chlorpyrifos 4E AG.

DIRECTIONS FOR USE

Use and Dosage recommendations:

For control of wheat midge, use Chlorpyrifos 4E AG at a maximum rate of 1 pint per acre (0.5 lb. ai/acre). Treatment is recommended when 75% of the wheat heads have emerged from the boot and when midge adults are found in the crop (1 midge per 4-5 heads). Application timing is critical to ensure good control. If possible, apply in the late afternoon or early evening when temperatures exceed 50°F and wind speed is less than 7 mph.

Mix the required dosage with water and apply in a minimum of 2 gallons per acre finished spray volume. Apply using aerial (fixed wing or helicopter) or power-operated ground spray equipment. Chlorpyrifos 4E AG may also be applied through sprinkler irrigation systems.

If anyone sees dead birds or fish which may have been killed by chlorpyrifos, please call 1-800-451-8461.

RESTRICTIONS

- * Do not make more than two applications per crop.
- * Do not apply within 28 days before harvest.
- * Do not allow livestock to graze or otherwise feed on treated forage within 14 days of application.
- * Do not feed straw from treated wheat within 28 days of application.
- * Do not apply directly to bodies of water.
- * Do not apply product where runoff is likely to occur to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).
- * Do not apply when weather conditions favor drift or runoff from treated areas.

Ground Application

- * For ground applications, the distance from treated areas to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters) must be 30 feet or more.
- * Do not make ground applications if wind speed is greater than 15 mph.
- * Do not apply at spray boom pressures greater than 45 psi.

Aerial Application

- * Do not apply by air within 300 feet of aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).
- * Do not make aerial applications of Chlorpyrifos 4E AG when wind speeds exceed 10 mph or when an atmospheric temperature inversions exists.
- * Boom length should not exceed 75% of the wing span and release height for aerial applications should be no greater than 10 feet above the crop canopy.

EPA Reg. No. 51036-291

Manufactured By:
MICRO FLO COMPANY
P.O. Box 772099
Memphis, TN 38117-2099