



Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
NORTH DAKOTA**

CALLISTO®

For use of control of broadleaf weeds

EPA Reg. No. 100-1131

EPA SLN No. ND-050001

This label expires February 11, 2010

KEEP OUT OF REACH OF CHILDREN

CAUTION

**SYNGENTA'S SPECIAL CONDITIONS, RISKS OF USE AND DISCLAIMER
FOR USE OF CALLISTO ON CUPHEA ON THIS 24C LABEL**

IMPORTANT- READ BEFORE USE

**THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY
SYNGENTA CROP PROTECTION INC AND NOT SPECIFIED BY U.S. EPA OR
THE STATE OF NORTH DAKOTA**

Labeling may be obtained through the Special Labels link at
www.farmassist.com.

FOR CONTROL OF BROADLEAF WEEDS IN CUPHEA.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SYNGENTA CROP
PROTECTION, INC. INTENDS THAT THE PRODUCT THAT IS THE SUBJECT
OF THIS SECTION 24C LABEL BE PURCHASED ONLY BY END USERS
WHO AGREE BY ELECTRONIC SIGNATURE ON SYNGENTA CROP
PROTECTION'S INTERNET SITE TO THE TERMS AND CONDITIONS
REQUIRED BY SYNGENTA CROP PROTECTION, INC. INCLUDING A
WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION BY
THE USER AND/OR GROWER OF SYNGENTA AND OTHERS FOR FAILURE
TO PERFORM AND FOR CROP INJURY, CROP YIELD REDUCTION,
AND/OR CROP LOSS FROM USE OF CALLISTO ON CROPS ON THIS 24(C)
LABEL. IF SUCH TERMS AND CONDITIONS ARE UNACCEPTABLE,**

RETURN THE CALLISTO AT ONCE UNOPENED OR USE THE CALLISTO FOR A DIFFERENT APPROVED USE IN ACCORDANCE WITH THE LABEL AFFIXED TO THE PRODUCT CONTAINER.

USE OF CALLISTO (THE “PRODUCT”) ON CUPHEA (THE “CROP”) FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.

Syngenta Crop Protection, Inc. makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Supplemental Labeling, you acknowledge and accept that:

- 1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- 2) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- 3) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- 4) Syngenta Crop Protection, Inc. disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, Inc. or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Callisto label (EPA Reg. No. 100-1131).

This label must be in the possession of the user at the time of application.

CUPHEA

For postemergence weed control, apply a single application of 3.0 oz (0.094 lbs.a.i.) Callisto per acre in 10-30 gallons of water by ground application. Add crop oil concentrate at 1 gallon per 100 gallons of water, and UAN at 2.5% (v/v) or AMS at 8.5 lbs per 100 gallons of water.

Restrictions

- Use only on non-edible oilseed varieties of cuphea
- No portion of the treated field, plant, or crushed seed remaining after oil extraction may be used for human or animal feed
- Apply when largest cuphea plants have two or more leaf pairs.
- Apply when weeds are less than 5 inches tall
- Do not apply preplant incorporated or preemergence.

Callisto is a registered trademark of Syngenta

©2005 Syngenta Crop Protection, Inc.

Registrant: Syngenta Crop Protection, Inc.
PO Box 18300
Greensboro, NC 27419

FN: ND1131050BA0107

EPA SLN No. ND-050001