

Bayer 

# ADVANCED GARDEN™

**POWER FORCE™**

KILLS WEEDS FAST

## Brush Killer *Plus*

CONCENTRATE

- ▶ **Kills Tough Brush, Roots & All**
- ▶ **Kills Poison Ivy, Poison Oak, Blackberry, Kudzu & others**
- ▶ ***Plus* Kills Stumps**



**KILLS ROOTS**

Active Ingredient:  
Triclopyr, triethylamine salt . . . 8.8%\*  
Other Ingredients: . . . . . 91.2%  
\* 6.36% Triclopyr acid equivalent 100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** See back panel booklet for additional  
precautionary statements

**NET CONTENTS 32 FL OZ (946mL)**

910079 R.0



**POWERFORCE™**  
KILLS WEEDS FAST

**Brush Killer Plus**

CONCENTRATE

*Bayer Advanced Garden™ PowerForce™ Brush Killer Plus kills tough brush and vines, roots and all. This concentrated formula controls Poison Ivy, Poison Oak, Blackberries, Kudzu and over 70 other hard-to-kill plants. Eliminating unsightly brush, vines, weeds and stumps from your home's landscape has never been easier.*

**PRECAUTIONARY STATEMENTS**

**CAUTION Hazards to Humans and Domestic Animals**

- Causes moderate eye irritation.
- Harmful if swallowed, inhaled or absorbed through skin.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove contaminated clothing and wash before reuse.

**FIRST AID +**

**IN CASE OF ACCIDENTAL... IMMEDIATELY...**

- |                                      |  |
|--------------------------------------|--|
| <b>SWALLOWING</b>                    | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>CONTACT WITH EYES</b>             | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>CONTACT WITH SKIN OR CLOTHING</b> | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |

**NOTE:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.

**For medical emergency information, you may call toll-free 1-877-229-3763.**

Active Ingredient: 8.8% Triclopyr, triethylamine salt [CAS # 57213-69-1].

**ENVIRONMENTAL HAZARDS**

- Do not apply directly to water.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

**NOTICE:** Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Bayer Advanced Garden™ PowerForce™ Brush Killer Plus Concentrate under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

©2002 Bayer Advanced LLC  
Bayer Advanced LLC  
1500 Urban Center Drive  
Birmingham, AL 35242

EPA Reg. No. 72155-19  
EPA Est. No. indicated by 2nd and 3rd digits  
of the batch number on this package.  
(75) = 5905-AR-01 (46) = 5905-IA-01 (63) = 070989-IA-001  
(77) = 0709896-MO-001 (39) = 58996-MO-1

Bayer and are registered trademarks of Bayer AG

Made in USA

PRESS TO RESEAL

910085 R.0

## HOW BRUSH KILLER PLUS WORKS

This selective systemic herbicide enters plants through their leaves, green or cut woody shoots, and roots then moves throughout the plant and interferes with processes found only in plants. Visual symptoms, such as wilting and yellowing, appear in 1 to 6 weeks. The special penetrating formula kills down to the roots.

## KILLS

|                  |                      |                   |
|------------------|----------------------|-------------------|
| Alder            | Douglas Fir          | Poplar            |
| Arkansas Rose    | Dogwood              | Ragweed           |
| Arrowwood        | Elderberry           | Raspberry         |
| Ash              | Elm                  | Salmonberry       |
| Aspen            | Field Bindweed       | Sassafras         |
| Beech            | Field Horsetail Rush | Scotch Broom      |
| Bindweed         | Hawthorn             | Smartweed         |
| Birch            | Hazel                | Spurge            |
| Blackberry       | Henbit               | Sumac             |
| Blackgum         | Honeysuckle          | Sweetbay Magnolia |
| Box Elder        | Hornbeam             | Sweetgum          |
| Brazilian Pepper | Kudzu                | Sycamore          |
| Burdock          | Lambsquarter         | Tanoak            |
| California Rose  | Locust               | Tansy Ragwort     |
| Canada Thistle   | Madrone              | Thimbleberry      |
| Cascara          | Maple                | Trumpet Creeper   |
| Ceanothus        | Mesquite             | Tulip Poplar      |
| Cherry           | Mimosa               | Vetch             |
| Chicory          | Mulberry             | Virginia Creeper  |
| Chinquapin       | Oaks                 | Western Hemlock   |
| Choke Cherry     | Oxalis               | Wild Grape        |
| Clover           | Persimmon            | Wild Lettuce      |
| Cottonwood       | Pine                 | Wild Rose         |
| Crataegus        | Plantain             | Wild Violet       |
| Curly Dock       | Poison Ivy           | Willow            |
| Dandelion        | Poison Oak           | Winged Elm        |



Do not allow children or pets onto treated areas until spray has dried.

## IMPORTANT- Directions for Storage and Disposal

### STORAGE CONDITIONS

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

### DISPOSAL



- If Empty:**
- Do not reuse empty container.
  - Place in trash.
- If Partly Filled:**
- It is best to use all of the product in accordance with label directions.
  - If it is necessary to dispose of unused product, call your local solid waste agency or call toll-free 1-877-229-3724 for disposal instructions.
  - Never place unused product down any indoor or outdoor drain.

## READ THE LABEL FIRST!

**OPEN**  
Resealable Label  
for Directions &  
Precautions

## QUICK FACTS

- Special Penetrating Formula Kills the Toughest Vines and Woody Plants.
- Kills Roots and All
- Begins to Work in 1-3 Days
- Rainproof in Hours



### KILLS

- Poison Ivy, Poison Oak, Blackberry, Wild Berries and Brushy Plants
- Stumps

### WHERE TO USE

Use around homes, cabins, buildings, fences, walkways, trails and wooded areas.

### WHEN TO USE

When brush is leafed out.



For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724) or visit us on-line at [www.BayerAdvanced.com](http://www.BayerAdvanced.com)

## FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-19  
EPA Est. No. indicated by 2nd and 3rd digits of the batch number on this package.  
(75) = 5905-AR-01 (46) = 5905-IA-01  
(63) = 070989-IA-001 (39) = 58996-MO-1  
(77) = 070989-MO-001



910085 R.0

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### BEFORE YOU USE Read and follow directions when using:

- Bayer Advanced Garden™ PowerForce™ Brush Killer Plus will kill or injure all woody plants contacted. Certain warm season grasses may experience temporary yellowing when sprayed to excess.
  - If a desirable plant (other than grass) is accidentally sprayed, immediately rinse with plenty of water.
  - Apply when wind is calm.
  - To avoid tracking product onto desirable plants, (other than grasses) keep people and pets off treated areas until spray has dried.
- Do not apply to or around fruits or vegetables used for food.
- Measuring utensils such as measuring cups or measuring spoons should not be used for any food or drinking water purposes after use with this product.

### HOW TO USE

- Determine amount of spray solution to prepare – See “How Much to Use”.
- Make up spray solution by following directions specific to your sprayer – See “Sprayer Types”.
- Adjust sprayer nozzle to a coarse spray. Spray the weeds you want to kill until thoroughly wet but not dripping.

#### TIPS

- Use a sheet of cardboard or plastic to protect desirable plants from accidental contact with the product.
- **To Kill Vines,**  
For vines growing on desirable plants, cut the vine and treat as directed for stump removal.
- **To Kill Poison Ivy or Poison Oak,**  
Contact with Poison Ivy or Poison Oak anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and gloves in tightly sealed garbage bags.
- **To Kill Stumps,**  
Completely cover freshly cut stump with undiluted product using a paintbrush. Do not reuse paintbrush for other uses. When discarding, wrap brush in newspaper and put in trash.

## DIRECTIONS FOR USE (cont'd)

### HOW MUCH TO USE

**Brush, Vines, Woody Plants and Other Hard-to-Kill Weeds**  
Add 4 fl. oz. (1/2 Cup or 8 TBSP) to 1 gallon of water to treat up to 500 square feet.

**Stumps**  
Use full strength. Do not dilute.

## SPRAYER TYPES

### PUMP-UP TANK SPRAYERS

1. Add the appropriate amounts of concentrate and water to the sprayer tank.
2. Close sprayer, shake well and pressurize.
3. Adjust nozzle to a coarse spray pattern and apply.
4. Occasionally re-pressurize the sprayer to maintain a good spray pattern.



### DIAL-STYLE HOSE-END SPRAYERS

1. Fill sprayer jar with enough concentrate to cover plants to be treated.
2. Close sprayer and set dial.
3. Attach sprayer to hose and apply.
4. Pour any unused product back into this original container for future use.



### CONCENTRATE PLUS WATER HOSE-END SPRAYERS

1. Pour concentrate into sprayer jar to the required ‘Fluid Ounce’ mark.
2. Add the appropriate amount of water to the ‘Gallons’ mark.
3. Replace sprayer top and shake well.
4. Attach sprayer to hose and apply.



### FOR BEST RESULTS

- Apply when weeds are fully leafed out and actively growing.
- Rain or water 4 hours after application will not wash away effectiveness.
- Pump-up Tank Sprayers work best for spot treatments while Hose-end Sprayers work best for large areas.
- Certain hard-to-kill weeds may require a repeat application if regrowth occurs.