

Total Wrap 18-3/4"

3/8"

4-1/4"

16" Copy To Copy (Ideal Size)
10-1/4" Centerline To Centerline
2 1/8" OFFSET ZONE AT 1



PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals
DANGER

Read carefully the following statement which applies to the contents of this container. Corrosive to tissues; Causes eye and skin damage; Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food. Primary skin and eye irritation scores of 1,256 dilutions = 0 when tested according to 16 CFR 1500.41 and 1500.42.

STORAGE AND DISPOSAL


Prohibition: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. **Responsible Disposal:** This germicide, its solutions or mixtures from empty containers should be disposed of in a toilet or sewage sink served by a sanitary sewer or in a landfill approved for pesticides. **Container Disposal:** Triple rinse and deposit in a waste container for approved alternate procedures such as limited open burning, if frozen, thaw and remix before use. Consult Federal, State or Local disposal authorities for approved alternate procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For use on all washable pre-cleaned, hard environmental non-porous surfaces including tuberculous areas, use a 1:256 (one-half fluid ounce/gallon of water) solution. For accurate solution preparation, use STEIN'S Corporation's 1-STROKE Dispenser (one stroke delivers one-half fluid ounce of product). This is a complete product. Do not add other chemicals. Use only as directed.

CLEANING AND DISINFECTING ANIMAL AND POULTRY FACILITIES — Do not use in milking stalls, milking parlors, or milk houses. Cover or remove all food, feedstuffs, packaging material, and animals. Remove all dirt, litter and debris from surfaces to be disinfected. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply use solution with a spray-out applicator. Discard solutions when they become soiled and replace with a fresh solution of this product. Wash all feeders and waterers with a detergent and rinse with potable water before reuse. Ventilate buildings, coops, and other closed spaces. Allow 10 minutes and remove excess solution with a mop or coarse spray to thoroughly wet all surfaces. Allow the surface to remain wet for 10 minutes after fogging is complete. Before reentering fogged area, fogging is complete before reentering fogged area. Before fogging, remove or carefully protect all food and packaging materials with waterproof coverings. Treated food contact surfaces must be thoroughly scrubbed with 1-STROKE ENVIRON at a 1:256 dilution and rinsed with potable water before use.

MUSHROOM FARM USE — A normal use-solution (one-half ounce per gallon of water) may be used between crops to clean and sanitize non-food contact surfaces. Use on tanks, air conditioning, air ducts, fans, and breeze-ways, compost wheel, concrete surfaces, inside and outside walls of mushroom houses, lghts, hoops, spanning machines, tampers, casing trays, storage sheds and track ways before spanning. Thoroughly clean all surfaces with soap or detergent and rinse with water. Then apply use-solution with cloth, sponge, mop or coarse spray to thoroughly wet all surfaces; allow to remain wet for 10 minutes. Apply ONLY to surfaces that do not come in contact with the crop. Do not apply to the crop, compost or casings.



1 GALLON, GP

CALGON VESTAL™
1-STROKE ENVIRON™

U.S. PATENT NO. 3,538,217
EPA REG. NO. 1993-26 EPA EST NO. 1043-MO-1
Germicide • Fungicide • Tuberculocide
• Virucide • Deodorant

ACTIVE INGREDIENTS:
o-phenylphenol 10.0
o-benzyl-p-chlorophenol 8.0
p-tertiary-amylphenol 2.0
INERT INGREDIENTS 79.0

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage in contradiction the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENTS: 1 U.S. GALLON (3.78 Liters)

3/32" FROM WHITE BACKGROUND TO ALL OTHER COPY

WHITE BACKGROUND (IF CLEAR BOTTLE) AREA 3/32" LARGER THAN BAR CODE ON ALL SIDES

BAR CODE OF 3/8" F
BAR CODE PLACED RIGHT'S MAINTAIN OF 1/2" F
BAR CODE 100% W.W. 1.27" LB TRUNCATED NO LESS

(MACHINE SECURITY)

Total Wrap 18-3/4"

16" Copy To Copy (Ideal Size)

10-1/4" Centerline To Centerline

3/16" GILT ZONE AT BEGINNING

CALGON VESTAL™

1-STROKE ENVIRON®

U.S. PATENT NO. 3,538,217

EPA REG. NO. 1043-26 EPA EST NO. 1043-MO-1

Germicide • Fungicide • Tuberculocide
• Virucide • Deodorant

ACTIVE INGREDIENTS:

o-phenylphenol	10.0%
p-benzyl-p-chlorophenol	8.5%
p-tertiary-amylphenol	2.0%
MENT INGREDIENTS	79.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENTS: 1 U.S. GALLON (3.78 Liters)

3/32" FROM WHITE BACKGROUND
TO ALL OTHER COPY
GROUND (IF CLEAR BOTTLE AREA
LARGER THAN BAR CODE ON ALL SIDES)

BAR CODE MUST BE MINIMUM
OF 3/8" FROM EDGE OF IDEAL TEMPLATE
BAR CODE SHOULD NOT BE
PLACED ON FAR LEFT OR
RIGHT SIDE OF TEMPLATE.
MAINTAIN MINIMUM DISTANCE
OF 1/2" FROM NON-SCREENABLE AREA

BAR CODE STYLE/DIMENSIONS:
100% MAGNIFICATION
1.27" LENGTH
TRUNCATED TO FIT
NO LESS THAN .63" (5/8") HIGH (WITH HUMAN READABLES)

1-STROKE ENVIRON®

1-STROKE ENVIRON is a detergent based germicide developed especially to control cross contamination of treated surfaces in the agricultural and food industries, and by the veterinary profession. It is intended for use on pre-cleaned hard non-porous surfaces including floors, walls, counters, equipment in food processing areas, feed racks, troughs, and automatic feeders. It may be used in food processing, preparation and service facilities, in animal husbandry, poultry and feed processing facilities, veterinary clinics and animal research facilities. When used as directed, this product is effective against pathogenic bacteria such as *S. aureus*, *S. choleraesuis*, *M. tuberculosis* and fungi (*T. mentagrophytes*), *Vaccinia*, Newcastle disease, Infectious Laryngotracheitis, Infectious Bronchitis, Marek's Agent (IM-IV), Hog Cholera, or human environmental surfaces in 10 minutes at 20°C. In addition, 1-STROKE ENVIRON is effective against Avian Rotavirus ATCC VR-299, when tested at 1:256 by official A.O.A.C. methods in hard (400 ppm) water, in the presence of 5% added organic soil (sewage).

When tested according to A.O.A.C. Use-Dilution testing, 1-STROKE ENVIRON was shown to be effective against the following when diluted 1:256 (one-half ounce per gallon) in 400 ppm A.O.A.C. hard water and 5% organic soil (sewage) in 10 minutes at 20°C.

<i>Aeromonas hydrophila</i> , ATCC 7965	<i>Mycobacterium tuberculosis</i> , ATCC 23357	<i>Pseudomonas aeruginosa</i> , ATCC 13388
<i>Bordetella avium</i> , ATCC 35086	<i>Psittacella multicolor</i> , ATCC 19610	<i>Salmonella enteritidis</i> , ATCC 13076
<i>Corynebacterium sepedonicum</i> , ATCC 9850	<i>Salmonella sp. serovar paratyphi</i> , ATCC 19945	

1-STROKE ENVIRON was shown to be effective against *Escherichia coli* ATCC 11229, *Streptococcus suis* ATCC 43785, *Listeria monocytogenes* ATCC 15313 and *Campylobacter jejuni* ATCC 29428 when tested at a 1:256 dilution by official A.O.A.C. methods in hard (400 ppm) water on heat-stable environmental transmissible gastroenteritis virus by the EPA proposed virological assay method when diluted 1:256 with 400 ppm hard water in 10 minutes at 20°C on heat-stable environmental surfaces.

GERMICIDAL QUALIFICATION (A.O.A.C. Use-Dilution Confirmation): 10 minutes at 20°C, when diluted 1:256 in (400 ppm CaCO₃) A.O.A.C. hard water, soil and pre-clean surface before application of product.

Fungicidal Test (A.O.A.C. T. mentagrophytes): 10 minutes at 20°C, when diluted 1:256 in (400 ppm CaCO₃) A.O.A.C. 400 ppm as CaCO₃ in GERMICIDAL, TUBERCULOCIDAL, AND FUNGICIDAL, BY OFFICIAL A.O.A.C. QUALIFICATION IN SET OR HARD WATER (A.O.A.C. 400 ppm as CaCO₃). Remove heavy TER MINUTES AT 20°C.

This product is recommended for use on washable hard non-porous surfaces such as counters, equipment, resilient tile flooring, terrazzo and painted or varnished surfaces.

DEODORIZER: 1-STROKE ENVIRON helps in the control of cross contamination and odors of bacterial origin.

5397-061(198)



STERIS®

STERIS Corporation
CALGON VESTAL Division
St. Louis, MO 63110 • USA

PRODUCT MADE IN U.S.A.

16-1/2" Copy To Copy
(Next Step Up In Size If
Copy Will Not Fit Ideal Size)