

14 Antibacterial All Purpose Cleaner

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-851-222-5352 (IN THE USA).

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not store on side. Avoid crossing or impacting of side walls.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Nonrefillable container: Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state.

EPA Reg. No. 6836-78-1677

EPA Est. No. 1677-IL-2(J), 1677-TX-1(D), 1677-GA-1(M), 1677-MN-1(P), 1677-CA-1(S), 1677-PR-1(B), 1677-CA-2(R), 1677-OH-1(H), 1677-WV-1(V), 303-1H-1(L).

The superscript refers to the first letter of the date code.

14 Antibacterial All Purpose Cleaner

PELIGRO: SI NO PUEDE LEER EN INGLÉS, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

One-Step Disinfectant - Cleaner - Fungicide - Mildewstat - Virucide* - Deodorizer for Hospitals, Institutional and Industrial Use

This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is a concentrated one-step Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* [including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus], fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.

Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions and industry.

This product leaves a clean fresh scent.

This product is effective against: *Axian Influenza H3N2*, *Axian Infectious Bronchitis Virus*, *Canine Distemper Virus*, *Feline Calicivirus*, *Newcastle's Disease Virus*, *Pseudorabies Virus*.

This product is a one-step Hospital Use disinfectant, bactericidal according to the current AOAC Use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 400 ppm hard water plus 5% organic serum against:

Bacteria:

Pseudomonas aeruginosa (*Pseudomonas*)
Staphylococcus aureus (*Staph*)
Salmonella enterica (*Salmonella*)
Acinetobacter baumannii
Brevibacterium ammoniagenes (*Brevibacterium*)
Campylobacter jejuni
Community Associated Methicillin-Resistant *Staphylococcus aureus* - [CA-MRSA] (NRS384) (USA300)
Community Associated with animals-Resistant *Staphylococcus aureus* - [CA-MRSA] (NRS123) (USA400)

Enterobacter aerogenes

Enterococcus faecalis (*Enterococcus*)

Enterococcus faecalis- Vancomycin Resistant [VRE]

Escherichia coli [E. coli]

ESBL *Escherichia coli* [Extended spectrum beta-lactamase producing E.coli]

Klebsiella pneumoniae (*Klebsiella*)

Legionella pneumophila

Pseudomonas cepacia (*Pseudomonas*)

Salmonella schuenleberi (*Salmonella*)

Salmonella typhi (*Salmonella*)

Serratia marcescens (*Serratia*)

Shigella dysenteriae (*Shigella*)

Staphylococcus aureus - Methicillin-Resistant [MRSA]

Staphylococcus aureus - Multi-Drug Resistant

Staphylococcus aureus - Vancomycin Intermediate

Resistant - [VISA]

Streptococcus pyogenes [Strep] [a cause of scarlet fever]

Vibrio cholerae

Viruses:

*Adenovirus Type 5

*Adenovirus Type 7

*Hepatitis B Virus [HBV]

*Hepatitis C Virus [HCV]

*Herpes Simplex Virus Type 1

*Herpes Simplex Virus Type 2

*HIV-1 [AIDS Virus]

*Human Coronavirus

*Influenza Type A / Brazil [Influenza]

*Norwalk Virus (Feline Calicivirus)

*Feline calicivirus

*Respiratory Syncytial Virus [RSV]

*Rotavirus

*SARS Associated Coronavirus [SARS]

[cause of Severe Acute Respiratory Syndrome]

*Vaccinia [Pox Virus]

Animal Viruses:

Axian Influenza (H3N2)

Axian Influenza (H5N1)

Axian Infectious Bronchitis Virus

Canine Distemper Virus

Feline Calicivirus

Newcastle's Disease Virus

Pseudorabies Virus

Fungi:

Aspergillus niger

Trichophyton mentagrophytes [the Athlete's Foot Fungus]

[A cause of Ringworm of the foot]

ECOLAB®



14 Antibacterial All Purpose Cleaner

For use in:



14653

Net Contents: 2.5 U.S. gal/9.46 L

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride 6.510%
Didecyl dimethyl ammonium chloride 2.804%
Didecyl dimethyl ammonium chloride 3.906%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride 8.680%
OTHER INGREDIENTS 78.300%
TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See side panel for Precautionary Statements and First Aid.

ECOLAB®



14 Antibacterial All Purpose Cleaner

For use in:



14653

Net Contents: 2.5 U.S. gal/9.46 L

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride 6.510%
Didecyl dimethyl ammonium chloride 2.804%
Didecyl dimethyl ammonium chloride 3.906%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride 8.680%
OTHER INGREDIENTS 78.300%
TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See side panel for Precautionary Statements and First Aid.

14 Antibacterial All Purpose Cleaner

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilution:

Disinfection (1:256) ½ oz. per gallon of water (886 ppm active)

Disinfection (1:128) 1 oz. per gallon of water (1695 ppm active)

Disinfection (1:64) 2 oz. per gallon of water (3390 ppm active)

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Use-Solution: Mix ½ oz. - 1 oz. per gallon of water [1:256 - 1:128]. For heavy duty use, mix 2 oz. per gallon of water [1:64]. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

DISINFECTANT / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity, this product is an effective fungicide against *Trichophyton mentagrophytes* [the athlete's foot fungus] in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at ½ oz. - 1 oz. per gallon in 250 ppm hard water and 5% serum. At ½ oz. - 1 oz. per gallon in 400 ppm hard water, this product must be used on precleaned surfaces.

For mold and mildew: At ½ oz. - 1 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

Bactericidal Stability of Use-Dilution: Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

This product is not for use on medical device surfaces.

TO CLEAN AND DEODORIZE: Mix ½ oz. - 1 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS: Remove gross filth prior to disinfection.

From Concentrate: Add ½ oz. - 1 oz. to the bowl and mix. Brush over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply ½ oz. - 1 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or scrub thoroughly, allow to stand for 10 minutes and flush.

For Heavy Duty Use: Empty toilet bowl or urinal and apply 2 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or scrub thoroughly, allow to stand for 10 minutes and flush.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

DIRECTIONS FOR USE (continued)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

Contact time: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with ½ oz. - 1 oz. per gallon use-solution. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Animal Viruses:

Axian Influenza (H3N2)

Axian Influenza (H5N1)

Axian Infectious Bronchitis Virus

Canine Distemper Virus

Feline Calicivirus

Newcastle's Disease Virus

Pseudorabies Virus

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTANT / VIRUCIDAL DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals; utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of ½ oz. - 1 oz. of this product per gallon of water for a period of 10 minutes. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Wipe or allow to air dry. Immerse all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces.

Do not house animals or employ equipment until treatment has been absorbed, set or dried.

POULTRY AND SWINE PREMISE DISINFECTANT / VIRUCIDAL DIRECTIONS: Remove all animals and feeds from premises, vehicles and enclosures such as coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use ½ oz. - 1 oz. of this product per gallon of water. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Saturate surfaces with the disinfecting solution for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

For service or additional information, call 1-800-35-CLEAN (352-5326).

Ecoblab Inc.
370 Wabasha Street N., St. Paul, MN 55102-1390 USA
© 2009 Ecoblab Inc. Made in U.S.A. 716873/5401/0609
All Rights Reserved

2.5 gal polysleeve die line #574129. This die line is set up at 100%.

716873-5400 INKS: PMS 108 Yellow & Black Size: Spec 574129 Label Type: Poly Sleeve w/White Cylinder