

RL 104

53871-3-29055

SYSCO SYSTEMS

SUPC 7274277

FLY BAIT



ACTIVE INGREDIENTS:

(Z)-9-tricosene
Methomyl (S-Methyl-N-[(Methylcarbamoyloxy)thioacetimidate

0.040%
1.000%
98.960%

INERT INGREDIENTS

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL FOR ADDITIONAL PRECAUTIONS.

EMERGENCY MEDICAL INFORMATION

800-228-5635 X161.

MSDS INFORMATION 281-584-2828

NET WT. 1 LB. (454 g)



032563
DISTRIBUTED BY SYSCO CORPORATION,
HOUSTON, TEXAS 77077-2099

EPA EST. NO. 53871-AZ-01 • EPA REG. NO. 53871-3-29055

Lot No. 203101



ENVIRONMENTAL HAZARDS: Accessible areas treated with this bait are hazardous to birds and other wildlife. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Collect, cover, or incorporate granules spilled on the soil surface. This pesticide is toxic to birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment washwaters. Do not contaminate water by disposal of wastes.

WARRANTY-LIMITATION OF DAMAGES: Sysco Corporation incorporated makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Fly Bait is an improved fly bait formula containing a sex attractant and a feeding synergist which encourages male and female flies to remain in the treated area and stimulates vigorous feeding on the bait. Fly Bait should not be used around or inside homes, or any other place where children are likely to be present. Specific use is described in more detail below.

BAIT STATION USE: Do not use around or inside homes or other places where children are likely to be present. Pour Fly Bait into Fly Bait Station. Replace cover carefully to avoid spillage of bait. Use the product at a rate of approximately two bait stations per 500 square feet of fly feeding area. Hang Fly Bait Stations out of reach of food producing animals or pets (at least 4 feet off the ground). Do not place bait station within reach of children. Use Fly Bait Station around the outside of broiler houses, kennels, canneries, beverage processing plants, meat and poultry processing plants, food processing plants and refuse dumpsters associated with these establishments and inside of caged layer houses. May also be used in restaurants, supermarkets, commissaries and bakeries.

SCATTER BAIT USE: Use of scatter bait is limited solely to commercial establishments where children are fenced or otherwise enclosed, and food processing plants. Do not use around commercial dumpsters which are not enclosed. Do not use poultry processing establishments, commercial refuse dumpsters which are fenced or otherwise enclosed, and food processing plants. Do not use around handling bait directly. Scatter bait (do not apply in piles) at a rate of 1/4 pound per 500 square feet of area. Do not use around dumpsters in residential settings. Distribute bait from container or use other device to avoid handling bait directly. Scatter bait (do not apply in piles) at a rate of 1/4 pound per 500 square feet of area. Do not use around areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas. Do not use around areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. PESTICIDE DISPOSAL: Pesticide or Residue that cannot be used according to label instructions must be disposed according to applicable Federal, State, or local governmental procedures. WASTE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse and dispose of according to local governmental procedures.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating, drinking or the use of tobacco products or using the toilet. Do not use this product around or inside homes, or any other place where children are likely to be present.
FIRST AID:
If in Eyes: Flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.
If On Skin: Remove contaminated clothing and wash skin immediately with soap and water. Wash contaminated clothing before reuse.
If Swallowed: Call a physician or poison control center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: METHOMYL is a cholinesterase inhibitor. ATROPINE is an antidote.

FOR COMMERCIAL USE ONLY: Use only in areas inaccessible to food producing animals. Do not contaminate feed and foodstuffs. Do not apply where poultry or animals, especially dogs and young calves, can pick it up or lick it. Wear long sleeved shirt, long pants, shoes, socks, and gloves during loading, application, repairing and cleaning of application equipment and disposal of the pesticide. Do not use in edible product areas of food processing plants or other areas where food is commercially prepared or processed. Do not use in sewing areas while food is exposed.
IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water.

Do not use around commercial dumpsters which are not enclosed. Do not use around handling bait directly. Scatter bait (do not apply in piles) at a rate of 1/4 pound per 500 square feet of area. Do not use around areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas. Do not use around areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas. Do not use around areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas.

REV172002 ES.062200