

OK

499-405

RL 9/03

Restricted Use Pesticide
See supplemental label for details.

Prescription Treatment® brand

Duraplex® TR

Micro Total Release Insecticide

TREATS UP TO 3,000 SQUARE FEET. FOR COMMERCIAL USE ONLY.

ACTIVE INGREDIENTS:	
Chlorpyrifos	8.0%
Cyfluthrin	1.6%
OTHER INGREDIENTS:	90.4%
TOTAL: 100.0%	

**KEEP OUT OF REACH OF CHILDREN
WARNING AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See supplemental label for additional Precautionary Statements.

EPA Reg. No. 499-405 • EPA Est. No. 499-MO-1

NET WEIGHT: 2 oz.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

18-0269-51

030821-60

FOR USE IN: Commercial Ornamental Greenhouses. Not for residential use.
CONTROLS: Aphids, Caterpillars, Fungus Gnats, Mealybugs, Mites, Scale, Thrips and Whiteflies.

DIRECTIONS FOR USE
**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING.**
See supplemental label for complete Directions for Use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling entitled Agricultural Use Requirements in the "Directions for Use" section of the supplemental label for information about this standard.

TOTAL RELEASE DOSAGE: Apply when pest (or plant damage typical of an indicated pest) is seen. Make 1 to 3 applications per week depending on the severity of the infestation. Do not apply product within 48 hours of a previous application. Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2 oz. can.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on the supplemental label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3566 Tree Court Industrial Bldg.
St. Louis MO 63122-6682

© 2003 Whitmire Micro-Gen Research Laboratories, Inc.

18-0269-51

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See supplemental label for complete Directions for Use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling entitled Agricultural Use Requirements in the "Directions for Use" section of the supplemental label for information about this standard.

TOTAL RELEASE DOSAGE: Apply when pest (or plant damage typical of an indicated pest) is seen. Make 1 to 3 applications per week depending on the severity of the infestation. Do not apply product within 48 hours of a previous application. Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool dry place away from heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap container and discard in the trash.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wrmg.com

© 2003 Whitmire Micro-Gen Research Laboratories, Inc.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Prescription Treatment® brand

Duraplex® TR

Micro Total Release Insecticide

TREATS UP TO 9,000 SQUARE FEET.
FOR COMMERCIAL USE ONLY.

FOR USE IN: Commercial Ornamental Greenhouses. Not for residential use.

CONTROLS: Aphids, Caterpillars, Fungus Gnats, Mealybugs, Mites, Scale, Thrips and Whiteflies.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals

ACTIVE INGREDIENTS:

Chlorpyrifos 8.0%

Cyfluthrin 1.6%

OTHER INGREDIENTS: 90.4%

This product contains an organophosphate insecticide. **TOTAL: 100.0%**

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See side panel for additional Precautionary Statements.

EPA Reg. No. 499-405 • EPA Est. No. 499-MQ-1

NET WEIGHT: 6 oz.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

PRECAUTIONARY STATEMENTS**FIRST AID**

This product contains an organophosphate insecticide.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropinesulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing of spray mists. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gas inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

Applicator and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier laminate ≥14 mils or Butyl rubber ≥14 mils or Nitrile rubber ≥14 mils or Neoprene rubber ≥14 mils or PVC ≥14 mils or viton ≥14 mils and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Prescription Treatment[®] brand

Duraplex[®] TR

Total Release Insecticide

FOR COMMERCIAL USE ONLY

CONTROLS: Aphids, Caterpillars, Fungus Gnats, Mealybugs, Mites, Scale, Shore Flies, Thrips and Whiteflies.

FOR USE IN: Commercial Ornamental Greenhouses. Not for residential use.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage Plants, Potted Flowering Plants and Ornamentals.

ACTIVE INGREDIENTS:

Chlorpyrifos	8.0%
Cyfluthrin	1.6%

OTHER INGREDIENTS:

..... 90.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

This product contains an organophosphate insecticide.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropinesulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See page 2 for additional Precautionary Statements.

EPA Reg. No. 499-405 • EPA Est. No. 499-MO-1



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES INC.
800-777-8570

A PRESCRIPTION TREATMENT[®] brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmimg.com

© 2003 Whitmire Micro-Gen Research Laboratories, Inc.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing of spray mists. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

USER SAFETY RECOMMENDATIONS

- Users should:**
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

APPLICATOR AND OTHER HANDLERS MUST WEAR:

Long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier laminate ≥ 14 mils or Nitrile rubber ≥ 14 mils or Nitrile rubber ≥ 14 mils or Neoprene rubber ≥ 14 mils or PVC ≥ 14 mils or viton ≥ 14 mils and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable ingredient
Ingrediente Allamante Inflamable

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65° F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with any soil, or water, is: Chemical-resistant gloves, such as Barrier laminate ≥ 14 mils or Butyl rubber ≥ 14 mils or Nitrile rubber ≥ 14 mils or Neoprene rubber ≥ 14 mils or PVC ≥ 14 mils or viton ≥ 14 mils, coveralls, and shoes plus socks.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60°-80° F. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Shut off all exhaust fans and close all windows, doors and ventilators. All

human occupants and pets must be removed before treatment. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE: Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2 oz. can.

Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

FOR USE IN GREENHOUSES ON:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, garden mums, verbena, New Guinea impatiens and dahlia.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons and orchids.

Flowering hanging baskets (such as): luchsia and lantana.

Foliage (such as): Boston fern, dracaena, ficus, schefflera and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, begonias, gloxinia, cyclamen, cineraria, calceopatia and exacum.

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus, holly, ivy, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

PLANT SAFETY INFORMATION

This product has been tested on a wide range of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place away from heat or open flame.

STORAGE AND DISPOSAL CONT.
PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap container and discard in the trash.



Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.