706-69-527

Creating Integrated Solutions Since 1888

RMC Rochester Midland Corporation

For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information

Kills: *Aspergillus niger* (ATCC 16404), *Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), *Human Immunodeficiency Virus Type 1 (HIV-1 (AIDS virus)), *Influenza A_2/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (ATCC 33591), *Mycobacterium tuberculosis* var *bovis* (BCG), *Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

Disinfects: Disinfects on such bacteria carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places.

Sanitizes: Shoes and slippers. **Controls Mold and Mildew** on mattresses, awnings, shower curtains, leather goods. **Controls** mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

Deodorizes: Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to precleanor decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

To Disinfect and for Tuberculocidal Activity: After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

To Control Surface Mildew: After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

For Skate, Ski & Snowboard Boots.

To Sanitize, Deodorize and Control Mildew on Shoes: After shoe surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe surface to be treated. Spray interior and exterior of shoe for 3-5 seconds or until surface is wet. Allow shoe to air dry without wiping.

Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids: on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Storage and Disposal

Pesticide Storage: Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. **Container Disposal:** Replace cap, wrap container and put in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Warning: This product contains a chemical(s) known to the state of California to cause cancer.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

24 HOUR MEDICAL EMERGENCY:
Inside U.S. 1-800-535-5053 / Outside U.S. 1-352-323-3500
For Commercial/Industrial Use Only.
Made in the U.S.A.

11765889

Para el Uso en Casas, Hospitales, Asilos de Ancianos, Empresas, Hoteles, Moteles, Restaurantes, Escuelas, Asilos y Establecimientos Comerciales

INSTRUCCIONES PARA EL USO

Es una violación de la ley Federal usar este producto en una manera inconsecuente con su etiqueta.

Información General

Mata: Níger Aspergillus (ATCC 16404), *Virus de Simplex Herpes Tipos 1 y 2 (ATCC VR-733F), *Virus de Inmunodeficiencia Humana Tipo 1 [VIH-1(Virus SIDA)], *Gripe A_2/Virus de Hong Kong, Methicillin Resistante Estafilococcus Aureus (ATCC 33591), Tuberculosis Micobacterium var bovis (BCG), *Virus de Polio Tipos 1 y 2, Seudomonas aeruginosa (ATCC 15442), Salmonella Choleraesuis (ATCC 10708), Estafilococcus Aureus (ATCC 6538), Trichophyton Mentagrophytes (ATCC 9972) y Vancomycin Resistante Enterococcus Faecalis (ATCC 51299) en las superficies ambientales duras, no porosas, inanimadas.

Desinfecta: Desinfecta las superficies que pueden llevar bacterias como asientos de retrete, teléfonos, cubos de la basura, orinales, equipo atlético, interruptores de luces, chatas, cestos vacios y otros lugares remotos.

Sanea: Zapatos y zapatillas. **Controla Mojo** en colchones, marquesinas, cortinas de ducha, artículos de cuero. **Controla** el crecimiento de moho en paredes pintadas o acabadas, techos y molduras de armarios, sótanos, áticos, áreas de almacenaje, casas de verano, rincones humedos y mohosos.

Desodoriza: Reduce olores molestos. Use para controlar olores en hospitales y asilos de ancianos. En casas privadas, use en cocinas, cuartos de baño, cuartos del enfermo, sótanos. Eficazmente suprime olores causados por el moho.

Precauciones Generales y Restricciones

No rocíe en las superficies de madera pulida, telas de rayon o en plásticos acrílicos. Solventes en la rociada pueden causar daño a algunos plásticos, manos y otras materias si rociado hasta mojado.

No se usa este producto como un desinfectante de alto nivelun esterilante terminal en cualquiera superficie o instrumento que (1) se introduce directamente en el cuerpo humano, o en o en contacto con la corriente sanguínea o áreas normalmente esteriles del cuerpo, o (2) contacta las mucosas intactas pero lo cual no ordinariamente penetra la barrera de sangre o de otra manera entra las áreas normalmente esteriles del cuerpo. Se puede usar este producto para prelimpiar o descontaminar aparatos críticos o semicríticos antes de esterilización o desinfección de alto nivel.

Instrucciones de Aplicación

Agite bien antes de usar y a veces durante el rociar. Limpie la superficie cuidadosamente con un compuesto eficaz de limpieza antes del tratamiento. Quite toda inmundicia o mugre de todas las superficies para ser tratadas.

Para Desinfectar y Para Actividad Tuberculocidal: Despues de limpiar la superficie, mantenga vertical el contenedor 6" a 8" desde la superficie para ser tratada. Rocíe 3-4 segundos hasta que la superficie esté mojada. Deje secar sin limpiar o deje la rociada contactar la superficie tratada por un mínimo de diez minutos antes de limpiar. Para el Virus de Simplex Herpes Tipos 1 y 2, rocíe 8-10 segundos hasta que la superficie esté mojada. Deje secar sin limpiar o deje la rociada contactar la superficie tratada por un mínimo de diez minutos antes de limpiar. Tuberculocidal en 10 minutos a 25°C.

Para Controlar el Moho de Superficie: Después de limpiar la superficie, cubra la superficie con un rociada fina. Repita el tratamiento cada semana para un control eficaz.

Para Patines, Botas de Esquí y Snowboard.

Para Sanear, Desodorizar y Controlar el Moho en Zapatos: Después de limpiar la superficie del zapato, mantenga vertical el contenedor con la apertura apuntada lejos de la cara y 6" a 8" desde la superficie del zapato para ser tratada. Rocíe el interior y el exterior del zapato por 3-5 segundos o hasta que la superficie esta mojada. Deje secar el zapato en el aire sin limpiar.

Instrucciones Especiales para la Limpieza y la Descontaminación contra el Virus de Inmunodeficiencia Humana en Superficies/Objetos Ensuciados con Sangre/Fluidos del Cuerpo en las superficies ambientales prelimpiadas/objetos previamente ensuciados con sangre/fluidos del cuerpo en lugares de cuidado de salúd (o otros lugares donde exsite la posibilidad del ensuciar de superficies/objetos inanimados con sangre o fluidos del cuerpo pueden ser asociados con la transmisión potencial del Virus Inmunodeficiencia Humana): **Protección Personal:** Cuando manejando artículos ensuciados con sangre o fluidos del cuerpo, use protección de barrera apropiada como guantes desechables de látex, trajes, máscaras o protección para los ojos. **Procedimiento de Limpieza:** Sangre y y otros fluidos del cuepo se deben limpiar de superficies y objetos antes de la aplicación de este desinfectante. **Tiempo de Contacto:** Rocíe la superficie para ser tratada 3-4 segundos, desde una distancia de 6-8 pulgadas hasta que la superficie esté mojada. Deje secar la rociada sin limpiar o deje la rociada contactar la superficie tratada por un mínimo de diez minutos antes de limpiar. **Eliminación de Materias Infecciosas:** Sangre y otros fluidos del cuerpo deben ser autoclavados y eliminados segun regulaciones federales, estatales y locales para la recogida de los desechos infecciosos.

Almacenaje y Eliminación

Almacenaje de Pesticida: Almacene en un lugar de almacenaje fresco y seco (preferentemente bajo llave) lutea de la luz directa del sol, ventanas, llamas y otros fuentes de calor o ignición. **Eliminación de Pesticida:** Los residuos que resultan del uso de este producto se pueden eliminar en local o en una localidad apropiada de eliminación de basura. **Eliminación del Contenedor:** Reponga el tapón, envuelva el contenedor y descarte en la basura. No perfore ni incinere el envase.

DECLARACIÓN DE PRECAUCIÓN / Riesgos a Humanos y Animales Domésticos

ADVERTENCIA: Dañino si absorto por la piel. Causa la irritación moderada a los ojos. Evite el contacto con los ojos, la piel o la ropa. El contacto extendido o repetido frecuentemente con la piel puede causar una reacción alérgica en algunos individuos. Lave las manos antes de comer, beber, mascar el chicle, usar tabaco o usar los servicios. ATENCIÓN: Este producto contiene un producto químico, de cual el Estado de California sabe que produce el cáncer.

Primeros Auxilios

Si en la Piel o Ropa: Quite la ropa contaminada. Lave la piel inmediatamente con una cantidad suficiente de agua por 15-20 minutos. **Si en los Ojos:** Mantenga el ojo abierto y lave lentamente y suavemente con agua por 15-20 minutos. Quite las lentes de contacto, si presentes, despues de 5 minutos, y continúe con el lavar del ojo. Llamie el centro de control de veneno o un médico para consejo de tratamiento. Tenga en mano el contenedor del producto o la etiqueta cuando llamando un centro de control de veneno o un médico o yendo para tratamiento.

Riesgos Físicos o Químicos

Inflamable. Contenido bajo presión. No use o almacene cerca del fuego, chispas o superficies calentadas. No almacene en la luz directa del sol. No fume cuando usando este producto. No perfore ni incinere el contenedor. La exposicion a temperaturas superiores a 120°F puede causar el reventar.

24 HORAS EMERGENCIAS MÉDICAS:
En los EE.UU. 1-800-535-5053
Fuera de los Estados Unidos, llame 1-352-323-3500
Unicamente Para Uso Comercial/Industrial.
Hecho en E.U.A.

RMC Rochester Midland Corporation

Manufactured for
ROCHESTER MIDLAND
333 HOLLENBECK STREET
ROCHESTER, NY 14621

102
DIS
DISINFECTANT
SPRAY

For Health Care Use

DISINFECTS HIV-1 (AIDS VIRUS),
POLIO VIRUS TYPES 1 AND 2,
INFLUENZA A_2/HONG KONG VIRUS,
MYCOBACTERIUM TUBERCULOSIS (TB) AND
HERPES SIMPLEX VIRUS TYPES 1 AND 2 ON HARD,
NONPOROUS, INANIMATE ENVIRONMENTAL SURFACES

KILLS MOST GERMS
CONTROLS MOLD AND MILDEW
ELIMINATES ODORS
BACTERICIDAL - STAPHYLOCIDAL - TUBERCULOCIDAL
FUNGICIDAL - PSEUDOMONICIDAL - *VIRUCIDAL

Active Ingredients:	
Orthophenylphenol (CAS No. 90-43-7)	0.176%
Para-tertiary Amylphenol (CAS No. 80-46-6)	0.045%
Ethanol (CAS No. 64-17-5)	49.950%
+Other Ingredients	49.829%
Total	100.000%

+Contains Sodium Nitrite.

EPA Reg. No. 706-69-527 **EPA Est. 706-IL-1**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET WT. 15 1/2 OZ. (439 GRAMS)

CP-015 01/03 8-C01506768

www.rochestermidland.com