

538-213



# 3-SEASONS™

*Fall Lawn Fertilizer with Broadleaf Weed Control*

# FALL APPLICATION

*Prepares lawn for winter while clearing out clover and many broadleaf weeds*

***Apply in Fall:  
September - November***

DO NOT USE ON ST. AUGUSTINEGRASS, CARPETGRASS, DICHONDRA, OR LIPPIA

ACTIVE INGREDIENTS:	
2,4-D†	1.03%
Mecoprop-p††	0.52%
OTHER INGREDIENTS	98.45%
Total 100.00%	
†CAS# 94-75-7	††CAS# 16484-77-8

KEEP OUT OF REACH OF CHILDREN  
**CAUTION** See back for additional precautionary statements. See back for directions.

Feeds and Treats 5,000 SQ. FT.

NET WEIGHT 16.67 lb (7.56 kg)

Learn more at [Scotts.com](http://Scotts.com)



# FALL APPLICATION

## KEY PRODUCT FACTS

### Controls the following broadleaf weeds:

aster	carpetweed	dichondra	henbit	mustard	pulsley, Florida	sow thistle
bitter cress	centella	dollarweed	horseweed	pennywort	ragweed	stitchwort
black medic	chicory	English daisy	knotweed (seedling)	pepperweed	scarlet pimpernel	thymeleaved sandwort
bristly oxtongue	chickweed	eveningprimrose	lambsquarter	pigweed	shadflower	vetch
buckhorn	cinquefoil	filaree	lippia	plantain	shepherdspurse	white clover
bull thistle	cudweed	fleabane	mallow	prickly lettuce	smartweed	yellow rocket
burclover	curly dock	ground ivy	moneywort	puncturevine		
buttonweed	dandelion	healall	morningglory	purslane		

### IMPORTANT

#### What to expect:

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

#### Extreme Temperatures

Avoid applying when temperatures are consistently above 90°F.

### Directions for use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year.

#### Application

- Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°F).
- Apply on a calm day.

For best results apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew before applying product.

- On bahia and centipede lawns, wait until after the second mowing of the year, but NOT before mid-March. In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.

- Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustinegrass and dichondra lawns. On bermudagrass, bahiagrass, centipedegrass, zoysiagrass lawns, under certain conditions, some temporary discoloration may result.

#### Watering or rain

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weeds' leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.


### Seeding/sodding/sprigging

Wait until the new grass has been mowed at least four times before applying product.

If you are planning to seed, sod, or sprig, you should wait at least one month after you have applied this product.

#### Spreading Tips

Apply header strips. Then apply product in longest direction of lawn.



#### Spreader Settings

For best results, use a **Scott's® Spreader.** Covers **5,000 sq. ft.**

#### Scott's Rotary Spreaders

Each pass should be within the distance indicated below to ensure an overlap.

**Scott's SpeedyGreen® & EdgeGuard®** (passes within 5 feet of each other) **33/4**

#### Scott's Drop Spreaders

Make sure spreader wheel completely overlaps previous wheel marks.

**Scott's AccuGreen®** **6**

**Scott's PrecisionGreen®** **5**

#### Additional Spreader Settings

EZ Drop, Republic (#530)	5
EZ Broadcast, Republic (#540)	3
Scott's Broadcast Tractor Spreader	3

Be careful when applying this product near shrubs, flower beds, or vegetable gardens, as contact with weed control may damage these desirable plants. When using a rotary spreader, take special care near desirable plants.

### First Aid and Environmental Information

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals:

CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

#### First Aid:

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

#### Environmental Hazards:

Do not apply directly to lakes, streams, or ponds. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### Storage and Disposal:

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**DISPOSAL: If Empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### Guaranteed Analysis

3-Seasons Fall Application	24-3-12	F 643
Total nitrogen (N)	24%	
5.8% ammoniacal nitrogen		
10.1% urea nitrogen		
7.4% other water soluble nitrogen*		
0.7% water insoluble nitrogen		
Available phosphate (P <sub>2</sub> O <sub>5</sub> )	3%	
Soluble potash (K <sub>2</sub> O)	12%	
Sulfur (S) (combined)	10%	

Derived from: methyleneurea, potassium sulfate, ammonium sulfate and ammonium phosphate.  
\* Contains 5.5% slowly available methylenediurea and dimethylenetriurea nitrogen.

U.S. Pat. No. 5,102,440

EPA Reg. No. 538-283

EPA Est. No. 538-OH-1

### Questions / Information



**Consumer Helpline**  
1-800-543-TURF (8873)



**Visit our website**  
[www.scotts.com](http://www.scotts.com)



The Scott's Company  
14111 Scottslawn Rd.  
Mansfield, Ohio 43041


#### Scott's No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

**Dedicated To A Beautiful World™**  
Trusted by generations of homeowners, Scott's is dedicated to helping you enhance and protect the natural beauty of your home environment.

Product of U.S.A.  
©2003, Licensed by The Scott's Company.  
World rights reserved.  
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

3-SEASONS FALL - 20405-1



PROOF OF PURCHASE  
125030718