

**KEEP OUT OF REACH OF CHILDREN  
PRECAUTIONARY STATEMENTS**

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clothing ability of blood and cause bleeding. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Wear gloves when handling bait or retrieving dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

**FIRST AID**

Have this label with you when obtaining treatment advice.  
**If swallowed:** Call a poison control center or doctor immediately for treatment advice.  
**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**If on skin or clothing:** Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains chlorophacinone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K1 by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply within 50 feet of any body of water (such as pond, lake, river or stream) or where raptors are actively feeding on voles. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

**ENDANGERED SPECIES CONSIDERATIONS:**

**NOTICE:** It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. Before applying this product, applicators must obtain information regarding the occurrence of endangered species and use limitations for this product. You may call EPA's "Endangered Species Hotline" at 1-800-447-3813 to obtain an "Interim Measures" pamphlet for your county. You may also consult your local agricultural extension office or state pesticide lead agency to determine if there are any requirements for use of this product.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**Storage:** Store in original container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors. Collect and properly dispose of any spillage.  
**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**Container Handling:** Nonrefillable Container. Completely empty container into application equipment. Offer for recycling if available or dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-242  
EPA Est. No. 7173-W-1

DATE 08/09

**RESTRICTED USE PESTICIDE  
DUE TO HAZARD TO NONTARGET ORGANISMS**

For retail sale to and use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

**ROZOI®**

**VOLE BAIT**

FOR CONTROL OF VOLE (Microtus spp.)  
IN ORCHARDS, NONCROP AREAS, NURSERIES,  
TREE & FORESTRY PLANTATIONS

**NOT REGISTERED  
FOR SALE, USE OR DISTRIBUTION INTO  
CALIFORNIA, COLORADO, FLORIDA,  
HAWAII OR THE DISTRICT OF COLUMBIA**

Active ingredient: chlorophacinone . . . . . 0.0005%  
Inert ingredients . . . . . 99.9995%  
Total . . . . . 100.0000%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION:**

See side panel for additional precautionary statements.

**LIPHA  
TECH®**

LiphaTech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
(414) 351-1476

7113-242 RUP

Roward 8104

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**READ THIS LABEL** and follow all use directions and precautions. Only use for sites, pests, and application methods specified on this label.

**VOLE CONTROL: LAWNS, GOLF COURSES, PARKS, OTHER ORNAMENTAL TURF AREAS, ORNAMENTAL FLOWER AND SHRUB GARDENS:**

**Hand Spot Bait only:** Do not apply by aerial or ground broadcast. For control of pine, meadow or mountain voles in lawns, golf courses, parks, other ornamental turf areas, ornamental flower and shrub gardens. Place 1-1/2 ounces of bait in active holes, trails, or runways, or in tamper-resistant bait stations in areas where voles have been observed or are known to forage. Cover placements with grass, shingles, or tarps (turf areas for winter protection) to avoid exposing nontarget organisms.

**VOLE CONTROL: FRUIT TREE ORCHARDS (BEARING AND NONBEARING) FOR PINE, MEADOW OR MOUNTAIN VOLE CONTROL:**

**USE RESTRICTIONS:** For control of pine, meadow or mountain voles in pome fruit (apple, pear) and stone fruit (peach, cherry, apricot, plum, prune, and nectarine) tree orchards. Apply after fall harvest (including drops), before new spring growth, and during which there are no rain-free and snow-free weather are expected. Do not apply within 50 feet of any body of surface water or where raptors are actively feeding on voles. Do not apply over bare ground or crops not specified above. Do not allow animals to graze or clean up drops in treated areas. Do not use hay cut after application for feed or bedding. Apply only by hand spot baiting and ground broadcasting. Do not apply aerially. [In New York and Vermont, only apply by "Hand Spot Baiting"]

**APPLICATION DIRECTIONS:** Before application, examine orchard floor to locate trails and runway systems to be treated.

**Hand spot baiting:** Place 1-1/2 ounces of bait in each active hole, trail or runway at each tree site (10 lbs per acre). Cover each placement with grass or shingle to avoid exposing nontarget organisms.

**Ground broadcast baiting:** Using a commercial spreader, uniformly apply 20 lbs per acre for Pine voles (all states except Idaho, Oregon, Washington) and 10 lbs per acre for Meadow voles (all states except Oregon) and Mountain voles (Idaho, Oregon, Washington only). If populations are high, make a second application 1 - 2 months after the first. The maximum application rate is 40 lbs per acre per year for Pine voles, and 20 lbs per acre per year for Meadow and Mountain voles. To avoid exposing nontarget organisms, clean up any bait in piles for reuse or disposal according to the "Pesticide disposal" section of this label.

**VOLE CONTROL: NURSERIES, TREE AND FORESTRY PLANTATIONS, CHRISTMAS TREE FARMS, AND BORDER AREAS/BUFFER STRIPS ADJACENT TO CROPS FOR PINE, MEADOW, AND MOUNTAIN VOLE CONTROL:**

**USE RESTRICTIONS:** For control of pine, meadow and mountain voles in commercial nurseries, tree and forestry plantations, Christmas tree farms, and border areas and buffer strips adjacent to crops. This product must not be applied directly to food or feed crops. Do not apply within 50 feet of any body of surface water or where raptors are actively feeding on voles. Do not allow animals to graze in treated areas. Do not use hay cut after application for feed or bedding.

**APPLICATION DIRECTIONS:**

Follow all application directions as listed for fruit tree orchards above.

(2770a08b)