



BIOX-C

POST-HARVEST

Aerosol Grade – Potato Sprout & Silver Scurf Control

ACTIVE INGREDIENT:

Clove Oil 100.0%

NOTICE: This product has not been registered by the US Environmental Protection Agency (EPA). Pace International, LLC represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

KEEP OUT OF REACH OF CHILDREN

CAUTION - CUIDADO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful in contact with skin or if swallowed. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

FIRST AID

If Swallowed: Get medical attention immediately. If medical attention is not immediately available, induce vomiting by touching finger to back of throat or giving syrup of ipecac as directed on the package. Do not make an unconscious person vomit.

If in Eyes: Wash eyes thoroughly with water for at least 15 minutes, get medical attention immediately.

If On Skin: Wash with soap and water.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical resistance category selection sheet.

Applicators and other handlers must wear: long-sleeved shirt, long pants, shoes, socks, protective eyewear (goggles or face shield), and chemical-resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber or butyl rubber.

For re-entry into treated areas during application and prior to ventilation or settling of aerosol fog, workers must wear: coveralls over long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber or butyl rubber; face-sealing goggles, unless a full-face respirator is worn; and a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.

See back panel for additional precautions and directions for use.

SKU# A-BIOXCX-AA0-5GL

Lot #:

Net Contents: 5 Gallons (19 Liters)



ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

BIOX-C can be applied anytime after potatoes are placed into storage. **BIOX-C** is intended for application as an aerosol through Forced Air Distribution Systems.

Forced Air Distribution Method

1. Prepare aerosol generating equipment. Insert aerosol generator intake hose into the **BIOX-C** container.
2. Set air ducts for recirculation.
3. Place discharge end of aerosol generator at center of plenum (air mixing chamber), pointing it in the direction of the air flow. This will assure optimum distribution of **BIOX-C** throughout the duct system.
4. Operate recirculation fans continuously during application and for at least 4 hours after completing application (or until fog has completely settled).

Potato Sprout Control During Storage

Apply initial dose at 0.6 gal (5.2 lb) **BIOX-C**/1000 cwt potatoes when at least one sprout "peep" (primary sprout eye showing white tissue) per tuber is observed on stored potatoes. Reapply 0.25 gal (~2.2 lb) **BIOX-C**/1000 cwt potatoes at 2-3 week intervals as sprout "peepeps" reappear.

Silver Scurf (Helminthosporium solani) Control on Potatoes During Storage

Apply initial dose at 1.25 gal (10.8 lb) **BIOX-C**/1000 cwt potatoes after storage room has been filled for seasonal potato storage. Reapply 0.5 gal (~4.3 lb) **BIOX-C**/1000 cwt potatoes at 2-3 week intervals throughout storage duration.

1 cwt. = 100 lbs = 2.5 cubic feet; 1 ton = 20 cwt.

Do Not apply **BIOX-C** to potatoes in the field.

Do Not apply **BIOX-C** to seed potatoes.

Do Not allow **BIOX-C** vapors to come in contact with storage areas used for seed potatoes within a minimum of 60 days of their planting.

Do Not use previously **BIOX-C** treated storage areas for temporarily holding seed potatoes until at least 60 days after treatment. Additionally, air system components (including ducts) and storage building must first be thoroughly ventilated before use for seed potato storage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep container closed. This product temporarily inhibits germination of seed potatoes.

Pesticide Disposal: Wastes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For more information about PACE's products, their uses and benefits, consult your PACE representative or our website at www.paceint.com.

IMPORTANT: Read the information below before using this product. If the terms are not acceptable, you should return the unopened product container immediately for a complete refund.

LIMITED WARRANTY, TERMS OF SALE, AND LIMITATION OF LIABILITY

Upon purchase or use of this product, purchaser and user agree to the following terms:

Warranty: Pace International, LLC (the Company) warrants that this product conforms to the chemical description on the label in all material respects and is reasonably fit for the purpose referred to in the directions for use, subject to the exceptions noted below, which are beyond the Company's control. The Company makes no other representation or warranty, express or implied, concerning the product, including no implied warranty of merchantability or fitness for a particular purpose; no such warranty shall be implied by law, and no agent or representative is authorized to make any such warranty on the Company's behalf.

Terms of Sale: The Company's directions for use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, and the manner of use or application (including failure to adhere to label directions), all of which are beyond the Company's control. All such risks are assumed by the user. Sale of this product is governed by the internal laws of the state of Washington; any action with respect to this product shall be brought exclusively in the state or federal courts located at Seattle, Washington U.S.A.

Limitation of Liability: The exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for damages, and in no event shall damages or any other recovery of any kind exceed the price of the product which caused the alleged loss, damage, injury or other claim. Under no circumstances shall the Company be liable for any special, indirect, incidental or consequential damages of any kind, including loss of profits or income, and any such claims are hereby waived.

The Company and the seller offer this product, and the purchaser and user accept this product, subject to the foregoing warranty, terms of sale and limitation of liability, which may be varied or modified only by an agreement in writing signed on behalf of the Company by an authorized representative.

031705US
Product of USA



Manufactured By:

Pace International LLC

1011 Western Ave., Suite 807, Seattle, WA 98104 800.936.6759 www.paceint.com