

# WEEDONE® LV4 SOLVENTLESS BROADLEAF HERBICIDE

## 1. CHEMICAL PRODUCT AND COMPANY DESCRIPTION

**Product Name:** Nufarm Weedone LV4 Solventless Broadleaf Herbicide

**Synonyms:** 2,4-D 2EHE; 2,4-D IOE; 2,4-Dichlorophenoxyacetic acid, isooctyl (2-ethylhexyl) ester.

**EPA Reg. No.:** 71368-14

**Company Name:** Nufarm Americas, Inc.

Burr Ridge, IL 60521

**Phone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, Or Accident, Call CHEMTREC Day or Night: 1-800-424-9300.**

**For Medical Emergencies Only, Call 877-325-1840.**

**Date:** March 12, 2002

**Revisions:** New or updated information in all sections.

**Reasons for Revisions:** More specific data

**Supersedes:** April 10, 2000

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS REG. NO.	% BY WEIGHT
Acetic acid, (2,4-dichlorophenoxy)-, isooctyl (2-ethylhexyl) ester*	1928-43-4	62.6
Propylene glycol*	57-55-6	(trade secret)
Titanium dioxide*	13463-67-7	(trade secret)
Crystalline silica as quartz*	14808-60-7	0.05 maximum
Other ingredients (trade secret)	Not applicable	(trade secret)

\*OSHA hazard

## 3. HAZARDS IDENTIFICATION

### Emergency Overview:

**Appearance and Odor:** Off-white to light gray liquid, faint phenolic odor.

**Warning Statements:** CAUTION. Keep out of reach of children. Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Do not get in eyes, on skin or on clothing.

### Potential Adverse Health Effects:

**Likely Routes of Exposure:** Inhalation, eye and skin contact.

**Eye Contact:** Slightly irritating. May cause irritation, redness, tearing.

**Skin Contact:** Slightly irritating. Overexposure by skin absorption may cause nausea, vomiting, abdominal pain, decreased blood pressure, muscle weakness, muscle spasms.

**Inhalation:** Harmful if inhaled. May cause symptoms similar to those from ingestion.

**Ingestion:** Harmful if swallowed. May cause nausea, vomiting, abdominal pain, decreased blood pressure, muscle weakness, muscle spasms.

**Medical Conditions Possibly Aggravated By Exposure:** Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

**Subchronic (Target Organ) Effects:** (An adverse effect with symptoms that develop slowly over a long period of time): Repeated overexposure may cause effects to liver, kidneys, blood chemistry, and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses of 2,4-D for prolonged periods.

**Chronic Effects/Carcinogenicity:** Prolonged overexposure can cause liver, kidney and muscle damage. The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides

as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. However, more current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic potential. The USEPA has given a class D classification (not classifiable as to human carcinogenicity).

**Reproductive Toxicity:** No impairment of reproductive function attributable to 2,4-D has been noted in laboratory animal studies.

**Developmental Toxicity:** Studies in laboratory animals with 2,4-D have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.

**Genotoxicity:** There have been some positive and some negative studies, but the weight of evidence is that 2,4-D is not mutagenic.

## 4. FIRST AID MEASURES

**If swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

**If on skin:** Wash skin with plenty of soap and water, if available. Get medical attention.

**If in eyes:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention if irritation persists.

**If inhaled:** Remove to fresh air. If not breathing, give artificial respiration. Administer oxygen if necessary. Get medical attention.

**Note to Physician:** This product contains a phenoxy herbicidal chemical. There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred. Myotonic effects may include muscle fibrillations, myotonia, and muscular weakness. Ingestion of massive doses may result in persistent fall of blood pressure. Myoglobin and hemoglobin may be found in urine. Elevations in lactate dehydrogenase (LDH), SGOT, SGPT and aldolase indicate the extent of muscle damage. It has been suggested that overexposure in humans may affect both the central and peripheral nervous systems. The acute effects on the central nervous system resemble those produced by alcohol or sedative drugs. In isolated cases, peripheral neuropathy and reduced nerve conduction velocities have been reported although these observations may be related to other factors. Gas-liquid chromatography for detecting and measuring chlorophenoxy compounds in blood and urine may be useful in confirming and assessing the magnitude of chlorophenoxy absorption.

## 5. FIRE FIGHTING MEASURES

**Flash Point:** >212°F (100°C) by Seta-Flash closed cup and ASTM D3278.

**Autoignition Temperature:** Not determined.

**Flammability Limits:** Not determined.

**Extinguishing Media:** Recommended (large fire): foam, water spray. Recommended (small fires): dry chemical, carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion hazards:** Under fire conditions, toxic, corrosive fumes are emitted. Containers will burst from internal pressure under extreme fire conditions.

**Hazardous Decomposition Materials (Under Fire Conditions):** Hydrogen chloride, other chlorine compounds, oxides of nitrogen and oxides of carbon.

## 6. ACCIDENTAL RELEASE MEASURES

**Evacuation Procedures and Safety:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Containment of Spill:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Cleanup and Disposal of Spill:** Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. (See Section 13.)

**Environmental and Regulatory Reporting:** Prevent material from entering public sewer system or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of top soil. The affected area should be removed and placed in an appropriate container for disposal. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

### Handling:

Handle containers carefully to avoid damage and spills.

### Storage:

Store in original container in a dry secured storage area. Do not contaminate water, food or feed by storage or disposal. Avoid storage in close proximity to insecticides, fungicides, fertilizers and seeds. Keep container tightly closed when not in use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### General:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended usage, including maintenance and repair of equipment. Contact personal protective equipment manufacturers for assistance with selection, use and maintenance of such equipment.

### Personal Protective Equipment:

**Respiratory Protection:** When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations. Under normal conditions, in the absence of other airborne contaminants, the following devices should provide protection from this material up to the conditions specified by the appropriate OSHA or ANSI standard(s): Air-purifying (half-mask/full-face) respirator with cartridges/canister approved for use against pesticides. Under conditions immediately dangerous to life or health, or emergency conditions with unknown concentrations, use a full-face positive pressure air-supplied respirator equipped with an emergency escape air supply unit or use a self-contained breathing apparatus unit.

**Eye/Face Protection:** Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented through use of protective eyewear such as chemical safety glasses with side shields or splash proof goggles. An emergency eye wash should be readily accessible to the work area.

**Skin Protection:** Skin contact should be avoided through the use of permeation resistant clothing, gloves and footwear, selected with regard for use conditions and exposure potential. An emergency shower should be readily accessible to the work area. Consider both durability and permeation resistance of clothing.

**Work Practice Controls:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.

### Exposure Guidelines:

Exposure Limits:	OSHA PEL*	ACGIH TLV®*	STEL	Units
Acetic acid, (2,4-Dichlorophenoxy)-, isooctyl (2-ethylhexyl) ester	10**	10**	ND	mg/m <sup>3</sup>
Titanium dioxide	15	10	ND	mg/m <sup>3</sup>

\*8-hour TWA unless otherwise noted.

\*\*Based on adopted limit for 2,4-D.

**Ventilation:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**NOTE:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

**Physical Appearance:** Off-white to light gray liquid.

**Odor:** Faint phenolic.

**pH:** Not Available.

**Specific Gravity:** Approximately 1.1

**Water Solubility:** Product is emulsifiable in water.

**Melting Point Range:** Not Available.

**Boiling Point Range:** Not Available. Based on components, expected to be >100°C.

**Vapor Pressure:**  $3.6 \times 10^{-6}$  mm Hg @ 25°C (data on 2,4-D 2EHE)

**Molecular Weight:** 333.27 (data on 2,4-D 2EHE)

**10. STABILITY AND REACTIVITY**

**Chemical Stability:** This material is stable under normal handling and storage conditions described in Section 7.

**Conditions To Be Avoided:** Excessive heat.

**Incompatibility With Other Materials:** Strong oxidizing agents: bases, acids.

**Hazardous Decomposition Products:**

**Decomposition Type:** Thermal

**Decomposition Products:** Hydrogen chloride, other chlorine compounds, oxides of carbon and nitrogen.

**Hazardous Polymerization:** Does not occur.

**11. TOXICOLOGICAL INFORMATION****Toxicological Data:**

Data on this product:

**Eye Irritation:** Slightly irritating (Rabbit).

**Skin Irritation:** Slightly irritating (Rabbit).

**Dermal:** Slightly toxic. (Rabbit LD<sub>50</sub> >2000 mg/kg).

**Inhalation:** Slightly toxic. (Rat 4-hr LC<sub>50</sub>: >0.855 mg/L, the maximum attainable concentration)

**Oral:** Slightly toxic. (Rat LD<sub>50</sub> 1971 mg/kg).

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Ingredients Name	Regulatory Agency Listing As Carcinogen			
	OSHA	IARC	NTP	ACGIH
Silica, crystalline	No	2A	No	No
Chlorophenoxy herbicides	No	2B	No	No

(Also see Section 3.)

**12. ECOLOGICAL INFORMATION****Aquatic Toxicity:**

Data on 2,4-D 2EHE or EC formulation:

96-hr LC<sub>50</sub> Bluegill: >5 mg/l

96-hr LC<sub>50</sub> Rainbow Trout: 7.2 mg/l

48-hr EC<sub>50</sub> Daphnia: >5 mg/l

**Avian Toxicity:**

Data on 2,4-D 2EHE:

Bobwhite Quail Dietary LC<sub>50</sub>: >5620 ppm

Mallard Duck 8-day Dietary LC<sub>50</sub>: >5620 ppm

**Environmental Fate:**

In representative laboratory and field studies, 2,4-D 2EHE rapidly hydrolyzed to parent acid. The typical half-life of the resultant 2,4-D acid ranged from a few days to a few weeks.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling and Disposal:** Do not reuse empty container. Triple rinse (or equivalent) adding rinsate to application equipment. Then offer empty container for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**14. TRANSPORTATION INFORMATION**

**NOTE:** Information is for surface transportation of package sizes generally offered and does not address regulatory variations due to changes in package size, mode of shipment or other conditions.

Packages containing less than 26.3 gallons of this product are generally not regulated. For packages containing 26.3 gallons or higher:

**DOT Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2,4-D ESTER), RQ (2,4-D ESTER)

**DOT Hazard Class / I.D. No.:** 9 / UN3082

**DOT Label:** Class 9

**U.S. Surface Freight Classification:** Weed killing compound, N.O.I.B.N

**15. REGULATORY INFORMATION****Federal Regulations:**

**TSCA Inventory:** This product is exempted from TSCA because it is solely for FIFRA regulated use.

**SARA Hazard Notification:** Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Fire:	Reactive:	Release of Pressure:	Acute Health:	Chronic Health:
No	No	No	Yes	Yes

Section 313 Toxic Chemical(s): ACETIC ACID, (2,4-DICHLOROPHENOXY)-, 2-ETHYLHEXYL ESTER, CAS NO. 1928-43-4 (62.6% by weight in product)

**Reportable Quantity (RQ) under U.S. CERCLA:**

Ingredient	RQ
ACETIC ACID, (2,4-DICHLOROPHENOXY) - 2-ETHYLHEXYL ESTER	100 lbs

**Selected State Regulations:**

This product contains the following components that are regulated under California Proposition 65:

Ingredient Name	Cancer List	Reproductive List	Risk Level (ug/day)	
			California	Nufarm
SILICA, CRYSTALLINE (airborne particles of respirable size)	Yes	No	Not determined	Not determined

**16. OTHER INFORMATION**

**National Fire Protection Association (NFPA®) Hazard Ratings:**

Ratings for This Product		Key to Ratings	
2	Health Hazard	0	Minimal
1	Flammability	1	Slight
0	Instability	2	Moderate
		3	Serious
		4	Severe

**Abbreviations and Acronyms Not Defined Elsewhere:**

ACGIH American Conference of Governmental Industrial Hygienists

ANSI American National Standards Institute

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

DOT Department of Transportation

FIFRA Federal Insecticide, Fungicide and Rodenticide Act

IARC International Agency for Research on Cancer

MSHA Mine Safety and Health Administration  
NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short Term Exposure Limit

TLV Threshold Limit Value

TSCA Toxic Substances Control Act

TWA Time Weighted Average

USEPA U.S. Environmental Protection Agency

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm, Inc. be responsible for damages of any nature whatsoever resulting from the use or of reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

WEEDONE® is a registered trademark of Nufarm, Inc.