

**GORDON'S**  
INDUSTRIAL  
VEGETATION MANAGEMENT PRODUCTS



# BK 800



**Controls Ash, Aspen, Brambles, Kudzu, Oak, Willows and many other species of brush and broadleaf weeds; including those listed in the attached label booklet.**

**ACTIVE INGREDIENTS:**

Isooctyl (2-ethylhexyl) ester of 2,4-dichlorophenoxyacetic acid .....	32.45%
2-ethylhexyl ester of (+)-R-2- (2,4-dichlorophenoxy) propionic acid .....	15.90%
Dicamba: 3,6-dichloro-o-anisic acid .....	5.38%
<b>INERT INGREDIENTS:</b> .....	46.27%
<b>TOTAL</b>	<b>100.00%</b>

**THIS PRODUCT CONTAINS:**

1.89 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 21.54%.  
0.94 lb. 2-ethylhexyl ester of (+)-R-2-(2,4-dichlorophenoxy) propionic acid equivalent per gallon or 10.77%.  
0.47 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 5.38%.  
Contains petroleum distillates.  
Contains the single isomer form of 2,4-DP-p.  
Isomer Specific by AOAC Method.

**KEEP OUT OF REACH OF CHILDREN  
WARNING-AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**See attached booklet for additional  
Precautionary Statements, First Aid  
and Full Directions for Use.**

786/3-2004

**NET CONTENTS: 2.5 U.S. GALLONS**



**READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Harmful if inhaled. Avoid breathing vapor or spray mist.

### Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

*Applicators and other handlers must wear:* • Long-sleeved shirt and long pants • Chemical-resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber, or viton • Shoes plus socks • Protective eyewear • Chemical-resistant apron when cleaning equipment, mixing or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### Engineering Control Statements for WPS Uses:

**Containers over 1 gallon and less than 5 gallons in capacity:** Mixers and loaders who do not use a mechanical system (probe and pump) to transfer the contents of this container must wear coveralls or a chemical-resistant apron in addition to the other required PPE.

**Containers of 5 gallons or more in capacity:** Do not open-pour from this container. A mechanical system (such as a probe and pump or siphon) must be used for transferring the contents of this container. (*Note: This is not an option in California. See Calif. Code of Regulations, Article 2, Section 6746.*) If the contents of a nonrefillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)], the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### USER SAFETY RECOMMENDATIONS:

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li> </ul> <p style="text-align: right;"><i>(continued on next column)</i></p>

## FIRST AID (cont.)

<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p>	
<p><b>Note to Physician:</b> Contains petroleum distillate – vomiting may cause aspiration pneumonia.</p>	

### ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and 2,4-DP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and 2,4-DP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

### Physical or Chemical Hazard

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

Refer to supplemental labeling entitled AGRICULTURAL USE REQUIREMENTS in the DIRECTIONS FOR USE section of the labeling for information about this standard.

Trimec® is a registered trademark of PBI/Gordon Corporation.

786/3-2004 AP091703  
EPA REG. NO. 2217-758  
EPA EST. NO. 2217-KS-1

Manufactured By  
  
**An Employee-Owned Company**  
 1217 West 12th Street  
 Kansas City, Missouri 64101  
[www.pbigordon.com](http://www.pbigordon.com)



0 7025 1 78628 2



# BK 800



Controls Ash, Aspen, Brambles, Kudzu, Oak, Willows and many other species of brush and broadleaf weeds; including those listed in this booklet.

Manufactured By  
**G** pbi/gordon  
**corporation**  
 An Employee-Owned Company  
 1217 West 12th Street  
 Kansas City, Missouri 64101  
 www.pbigordon.com

786/3-2004 AP091703  
 EPA REG. NO. 2217-758

#### ACTIVE INGREDIENTS:

Isooctyl (2-ethylhexyl) ester of 2,4-dichlorophenoxyacetic acid	32.45%
2-ethylhexyl ester of (+)-R-2-(2,4-dichlorophenoxy) propionic acid	15.90%
Dicamba: 3,6-dichloro-o-anisic acid	5.38%
<b>INERT INGREDIENTS:</b>	<b>46.27%</b>
<b>TOTAL</b>	<b>100.00%</b>

#### THIS PRODUCT CONTAINS:

1.89 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 21.54%.  
 0.94 lb. 2-ethylhexyl ester of (+)-R-2-(2,4-dichlorophenoxy) propionic acid equivalent per gallon or 10.77%.  
 0.47 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 5.38%.  
 Contains petroleum distillates.  
 Contains the single isomer form of 2,4-DP-p.  
 Isomer Specific by AOAC Method.

## KEEP OUT OF REACH OF CHILDREN WARNING-AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See below for additional Precautionary Statements, First Aid and Full Directions for Use.



**READ THE ENTIRE LABEL FIRST.  
 OBSERVE ALL PRECAUTIONS AND  
 FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Harmful if inhaled. Avoid breathing vapor or spray mist.

#### Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

**Applicators and other handlers must wear:** • Long-sleeved shirt and long pants • Chemical-resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber, or viton • Shoes plus socks • Protective eyewear • Chemical-resistant apron when cleaning equipment, mixing or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### Engineering Control Statements for WPS Uses:

**Containers over 1 gallon and less than 5 gallons in capacity:** Mixers and loaders who do not use a mechanical system (probe and pump) to transfer the contents of this container must wear coveralls or a chemical-resistant apron in addition to the other required PPE.

**Containers of 5 gallons or more in capacity:** Do not open-pour from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. (Note: This is not an option in California, see Calif. Code of Regulations, Article 2, Section 6746.) If the contents of a nonrefillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)], the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## USER SAFETY RECOMMENDATIONS:

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**Note to Physician:** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

#### ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and 2,4-DP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and 2,4-DP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

#### Physical or Chemical Hazard

Do not use or store near heat or open flame.

## STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL: Plastic Containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke. **Metal Containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: • Coveralls • Chemical-resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber, or viton • Shoes plus socks • Protective eyewear.

## NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

BK 800 is recommended to control perennial broadleaf weeds and undesirable woody plants established in noncropland. It is effective for buckbrush, poison ivy, multiflora rose, and sumac established in the uncultivated areas presented below:

#### UNCULTIVATED AGRICULTURAL AREAS AND UNCULTIVATED NONAGRICULTURAL AREAS:

**Recommended Noncropland Sites:** • Barrier strips • Farmyards • Fencerows or fence lines • Firebreaks • Highway rights-of-way (principal, interstate, county, private, and unpaved roads): Roadsides, roadside ditches, road shoulders, road embankments, dividers, and medians. • Industrial sites: Lumberyards, tank farms, fuel or equipment storage areas. • Municipal, state, and federal lands: Airports and military installations. • Railroad rights-of-way • Recreation areas: Fairgrounds, golf courses, parks, and areas adjacent to athletic fields. • Utility rights-of-way: Telephone, pipeline, electrical powerlines, and communication transmission lines.

**Prohibitions for Noncropland Sites:** • Do not apply to any body of water such as lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). Do not apply to any shorelines (noncropland sites adjacent to the edges of a body of water) for lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). • Do not apply to wetlands (swamps, bogs, potholes, or marshes). • Do not apply to agricultural irrigation water or on agricultural irrigation ditchbanks and canals. • Do not apply to agricultural drainage water or on agricultural ditchbanks.

**INSTRUCTIONS:** To effectively control brush, all leaves, stems and suckers should be thoroughly wetted to the ground. Apply when plants come into full leaf (spring) until plants begin to go dormant. Best results are obtained when brush and broadleaf weeds are young and actively growing. Do not cut brush until the herbicide has translocated throughout the plant causing root death.

**USE PRECAUTIONS:** Do not apply this product through any type of irrigation system.

Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flowers, or garden crops and all other hormone herbicide-sensitive desirable plants. Do not apply herbicide when wind speed is sufficient to cause drift.

Do not apply herbicide when an air temperature inversion exists. An air inversion may be detected by creating a smoke column and observing a layering effect.

Do not apply when temperatures exceed 85°F and humidity is high.

To aid in avoiding spray drift, use coarse sprays and low pressure. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or anti-drift additives and drift reducing equipment may be of value in preventing spray drift.

Care should be taken not to make applications where runoff could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

## SPRAY PREPARATION AND TANK MIXTURES

**Water Spray:** Add one-half the required amount of water to the spray tank, then add BK 800 slowly with agitation, and complete filling the tank with water. To prevent separation of the emulsion, mix thoroughly and continue agitation while spraying.

**Full Oil Spray:** Use diesel oil, No. 1 or No. 2 fuel oil, kerosene, mineral oil, or basal oils. Add one-half the required amount of oil to the spray tank, then add BK 800 with agitation and complete filling the tank with oil. Mix thoroughly and provide adequate agitation during mixing and spraying.

**Tank Mixing with Garlon® 4 Herbicide:** BK 800 can be mixed with Garlon 4 Herbicide for use in roadsides, right-of-ways, railroads, fencerows, industrial sites and other similar noncrop areas. Garlon 4 Herbicide is a butoxyethyl ester formulation containing 4.0 pounds per gallon of the active ingredient triclopyr. A mixture of BK 800 and Garlon 4 Herbicide should be used in accordance with the more restrictive of label limitations and precautions. No label dosage rates should be exceeded.

This product cannot be mixed with any product containing a label prohibition against such mixing. Aerial applications of this tank mixture can be made with helicopter only.

Three steps for tank mixing with Garlon 4 Herbicide are suggested. First, add one-third of the required amount of diesel oil or water to the spray tank. Next, add the BK 800 slowly with agitation, then add another one-third of the carrier to the tank. Finally add slowly the Garlon 4 Herbicide and the balance of the carrier. Do not mix the chemicals simultaneously and continue the agitation during each step.

**High Volume:** Mix ½ to 1 gallon of BK 800 per 100 gallons of water and apply 100 to 300 gallons of spray per acre. The dosage rate and the spray volume depend upon the height and density of the brush and/or weeds. For small broadleaf weeds use the low dosage rate and the low spray volume. Heavy dense stands of brush require the high dosage rate and the high spray volume.

For small applications with small tank sprayers, use 1 to 1½ fluid ounces of product per one (1) gallon of water.

**Leaf-Stem:** Mix ½ to 2 gallons of BK 800 in water to make 15 to 25 gallons total spray mixture per acre. Use an adequate spray volume to ensure uniform wetting of plants.

**Basal Bark:** Apply with low volume backpack sprayer or power equipment. Volume sprayed per acre will depend on method used and number of stems per acre. Use a coarse spray to avoid drift.

**High Volume Basal Bark** — For high volume applications, apply a coarse spray as a drench treatment to the base of stems and trunks up to a height of 18 to 24 inches. Total coverage of the stems and root collars is essential. Spray until runoff and pooling at the soil surface is noticed.

Mix 3 to 5 gallons of BK 800 with 95 to 97 gallons of oil (diesel oil, No. 1 or No. 2 fuel oil, kerosene, or mineral oil). Spray volumes will depend upon the sizes, types, and densities of the species present.

**Low Volume Basal Bark** — For low volume applications, apply a uniform spray pattern to all sides of the stems and trunks up to a height of 18 to 24 inches. Treat the entire circumference of the tree.

Mix a full oil spray containing 33% BK 800, 10 to 20% surfactant, and 47 to 57% diesel oil. Suggested surfactants include Cide-Kick, Cide-Kick II, or other surfactants/penetrants appropriate for oil soluble herbicides. Substitutes for diesel oil as a diluent include the following basal oils: Androc Oil, Hy-Grade I, Arborchem Basal Oil, JLB Oil Plus, and other blends formulated for basal bark applications.

**Cut Surface — Stump:** This method can be used anytime of the year, but is more effective when applied as soon as possible after trees are cut. Spray the entire stump, particularly bark and exposed roots. Complete control requires a thorough drenching. Use this method after original or capital clearing. It is the primary step toward a chemical brush control program on newly cleared highways and rights-of-way. Spray is most effective and economical on tree stumps with diameters larger than 3 to 4 inches.

Mix ½ to 1 gallon of BK 800 with 25 gallons of diesel oil, basal oils, penetrant oils, or mineral oil. Apply to freshly cut tree stumps with a low volume knapsack sprayer using a cone nozzle. Spray thoroughly the cut surfaces, bark, and exposed roots. Treat the entire circumference of the tree. Drench until runoff to the soil surface is noticed.

For painting freshly cut stumps, mix 2 quarts of BK 800 with 1.0 gallon of basal oil and thoroughly paint all surfaces of the stump.

**Frill Treatment:** This treatment is recommended for culling trees with trunk diameters greater than 5 to 6 inches. Make a frill by using an axe to cut overlapping notches in a continuous ring around the trunk near its base. Cut through the bark, but do not remove chips.

Mix 3 to 4 gallons of BK 800 in 100 gallons of diesel oil or mineral oil and treat freshly cut frills anytime of the year. Spray or pour the spray mixture into the frills without runoff.

## BRUSH CONTROLLED

Ash	Buckbrush	Honey locust	Shortleaf pine
Aspen	Cedar	Honeysuckle	Spruce
Birch	Cherry	Kudzu	Sumac
Blackberry	Cottonwood	Maple	Sycamore
Black cherry	Dogwood	Multiflora rose	Trumpet creeper
Black locust	Elm	Oak	Wild plum
Brambles	Gooseberry	Pine	Willow

## WEEDS CONTROLLED

Aster, white heath & white prairie	Dogfennel	Matchweed	Spurge
Bedstraw	English daisy	Mouseear chickweed	Sunflower
Beggarweed, creeping	False dandelion	Mustard	Thistle
Bindweed	(*spotted catsear & common catsear)	Nettle	Velvetleaf (*pie marker, Indian mallow)
Black medic	Field bindweed	Oxalis (*yellow woodsorrel & creeping woodsorrel)	Veronica (*corn speedwell)
Broadleaf plantain	(*morninggloory & creeping jenny)	Parsley-piert	Virginia buttonweed
Buckhorn plantain	Field oxeye-daisy	Pennsylvania smartweed	White clover (*Dutch clover, honeysuckle clover, white trefoil & purplewort)
Bull thistle	(*creeping oxeye)	Pennywort (*dollarweed)	Wild carrot
Burclover	Filaree, whitestem & redstem	Pepperweed	Wild garlic
Burdock, common	Florida pusley	Pigweed	Wild geranium
Buttercup, creeping	Ground ivy	Pineappleweed	Wild lettuce
Carpetweed	Groundsel	Plantain	Wild mustard
Chickweed, common	Hawkweed	Poison ivy	Wild onion
Chicory	Healall	Poison oak	Wild strawberry
Cinquefoil	Henbit	Prostrate knotweed	Wild violet
Clover	Jimsonweed	(*knotweed)	Yarrow
Cocklebur	Kochia	Puncturevine	Yellow rocket
Compassplant	Lambsquarters	Purslane	
Curly dock	Lawn burweed	Regweed	
Dandelion	Lespedeza, common	Rad sorrel (*sheep sorrel)	
Dayflower	Mallow, common	Shepherdspurse	
Deadnettle		Spotted spurge	
Dock			*Synonyms

## FOR USE ON RESIDENTIAL AND ORNAMENTAL TURFGRASS SITES AND SOD FARMS (COOL SEASON GRASSES OTHER THAN BENTGRASS):

#### USE PRECAUTIONS:

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants.

Do not use on carpetgrass, dichondra, St. Augustinegrass, bentgrass, nor on lawns or turf where desirable clovers are present.

Use only lawn type sprayers. Avoid fine sprays; coarse sprays are less likely to drift.

Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area; be particularly careful within the dripline of trees and other ornamental species.

Do not apply to newly seeded grasses until well established.

Do not spray when air temperatures exceed 85°F.

Seed can be sown 3 to 4 weeks after application.

Care should be taken not to make applications where runoff could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

#### INSTRUCTIONS:

Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid spraying during long, excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application.

**General Application:** Apply 2 to 3 pints of product in 20 to 260 gallons of water per acre (0.75 to 1.1 fluid ounces in 0.5 to 6 gallons of water per 1,000 square feet). Use higher rates when using the higher volume of water per acre.

The maximum application rate to turf is 0.8 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

**Controlled Droplet Applicator (CDA):** Add 1½ pints of the HERBI container and fill with water. Spray contents over 33,000 square feet. Avoid overlapping between spray patterns.

**Small Area Applications:** Not recommended for hose end sprayers. Spray anytime during the growing season when weeds are actively growing. On new lawns wait until the grass has hardened off, usually after it has been mowed at least three times. Poor weed control may result if spray is applied during drought or just before rain. Do not water within 24 hours after treatment.

## SPRAY PREPARATIONS FOR HAND OPERATED SPRAYERS

Amount of Product		Gallons of Water	Area to Treat Square Feet
Tablespoons	Fluid Ounces		
1½	¾	1	1000
3	1½	2	2000
4½	2¼	3	3000

## LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

**THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.** This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Trimec® is a registered trademark of PBI/Gordon Corporation.

Garlon® Herbicide is a registered trademark of Dow AgroSciences LLC.

Cide-Kick and Cide-Kick II, JLB Oil Plus are products of JLB International Chemical Incorporated.

Arborchem Basal Oil is a product of Arborchem Products Co.

Hy-Grade I is a product of CWC Chemical, Inc.

Androc Oil is a product of Androc Products, Inc.