

Mobay Corporation
A Bayer USA INC. COMPANY



Agricultural Chemicals Division
Box 4913, Ka

SUPPLEMENTAL LABELING

March 14, 1988
RECEIVED

APR 18 1988

PLANT INDUSTRY DIV.
PEST MANAGEMENT SEC.

RESTRICTED USE PESTICIDE
Due to Acute, Oral, and Inhalation Toxicity.
For retail sale to and application only by Certified Applicators or
personnel under their direct supervision.

FURADAN® 4F
INSECTICIDE
(EPA Reg. No. 279-2876-3125)

FOR DISTRIBUTION AND USE ONLY WITHIN OKLAHOMA

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

CROP: Grain Sorghum PESTS: Chinch Bug, Greenbug, Corn Leaf Aphid

Chinch Bug: Ground application only. Apply 0.5 to 1 pint FURADAN 4F in 20 to 30 gallons of water. Direct spray to base of sorghum plant. High volumes and adequate pressure are necessary to control this insect. Spray must be concentrated on sorghum plants. A second application of FURADAN 4F may be applied when needed if migration or reinfestation occurs.

Greenbug, Corn Leaf Aphid: For application by aircraft or ground equipment. Apply 1 pint of FURADAN 4F (0.5 lb. active ingredient) per acre as a foliar spray in sufficient water to obtain good coverage. For aerial application apply in a minimum of 2 gallons of water per acre. Begin application when insects first appear. A second application may be made if reinfestation occurs.

Do not make more than two (2) foliar applications per season. Do not apply after heads emerge from the boot. Do not graze treated fields or cut for silage or forage.

FURADAN 4F is highly toxic and the applicator must use proper protective equipment when applying this chemical.

Workers should not enter treated field within 14 days of application unless protective equipment is used.

This labeling must be in the possession of the user at time of pesticide application.

IMPORTANT: Before using the product, read and carefully observe directions, cautionary statements and other information appearing on the EPA registered product label. This product is sold subject to the Conditions of Sale, set forth on the container label.

EPA SLN NO. OK-810012

24(c) Registrant
MOBAY CORPORATION
A Bayer USA INC. COMPANY
AGRICULTURAL CHEMICALS DIVISION
Kansas City, Missouri 64120

RB 88-137
Supersedes NRB 81-203

210018

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

FOR DISTRIBUTION AND USE ONLY WITHIN OKLAHOMA

FURADAN^R 4 FLOWABLE/FURADAN^R 4F

EPA REG. NO. 279-2876ZA

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PEST: Chinch Bug, Greenbug, Corn Leaf Aphid

CROP: Sorghum

DIRECTIONS FOR USE

Chinch Bug - Ground application only. Apply .5 to 1 pint in 20-30 gallons of water. Direct spray to base of sorghum plant. High volumes and adequate pressure are necessary to control this insect. Spray must be concentrated on sorghum plants. A second application may be applied when needed if migration or reinfestation occurs.

Greenbug, Corn Leaf Aphid: For application by aircraft or ground equipment. Apply 1 pint (0.5 active ingredient) per acre as a foliar spray in sufficient water to obtain good coverage. For aerial application apply in a minimum of 2 gallons of water per acre. Begin application when insects first appear. A second application may be made if reinfestation occurs.

Do not make more than two (2) foliar applications per season. Do not apply after heads emerge from the boot. Do not graze or harvest sorghum grown for forage or silage within 75 days of treatment.

Furadan 4 Flowable/4F is highly toxic and the applicator must use proper protective equipment when applying this chemical.

Workers should not enter treated field within 14 days of application unless protective equipment is used.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

810012

(over)