




The Chemical Company



FOR PREEMERGENCE USE ON MINT (Peppermint and Spearmint)

This supplemental label expires December 31, 2009.

EPA Reg. No. 241- 418

Active Ingredient*:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine 38.7%

Other Ingredients: 61.3%

Total: 100.0%

*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

OBSERVE AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, PRECAUTIONARY STATEMENTS, MIXING AND APPLICATION INSTRUCTIONS, AND FOLLOWCROP RESTRICTIONS ON THE Prowl® H₂O herbicide MAIN CONTAINER LABEL BEFORE USING.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This label and the current EPA-accepted label for **Prowl H₂O** must be in the possession of the user at the time of pesticide application.

Prowl H₂O is a selective herbicide for controlling most annual grasses and certain broadleaf weeds as they germinate. Uniformly apply **Prowl H₂O** with properly calibrated ground equipment in 10 or more gallons of water, or 20 or more gallons of liquid fertilizer per acre, or by aircraft in a minimum of 5 gallons of water per acre. Use sprayers equipped with nozzles that provide accurate and uniform application.

Adequate rainfall or irrigation after application prior to weed seedling germination will provide the most effective weed control.

Always perform a mixing test to check the compatibility of **Prowl H₂O** with all potential tank mix partners.

Follow all precautions and restrictions on the labels of all products applied in combination with **Prowl H₂O**. Always follow the most restrictive label.

Endangered Species Protection

If endangered plant species occur in proximity to the application site, the following mitigation measures are required:

- If applied by ground, leave untreated buffer zone of 200 feet. The product must be applied using a low boom (20 inches above the ground) and ASAE fine to medium/coarse nozzles.
- If applied by air, leave untreated buffer zone of 170 feet. Must use straight-stream nozzles (D-6 or larger); wind can be no more than 8 mph; and release height must be 15 feet or less.

To determine whether your county has an endangered species, consult the website <http://www.epa.gov/espp/usa-map.htm>.

Endangered Species Bulletins may also be obtained from extension offices or state pesticide agencies. If the bulletin is not available for your specific area, check with the appropriate local state agency to determine if known populations of endangered species occur in the area to be treated.

SPRAY DRIFT. Avoiding spray drift at the application site is the responsibility of the applicator and the grower. The interaction of many equipment- and weather-related factors determines the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions. It is the responsibility of the applicator to avoid spray drift onto nontarget areas.

Application Instructions

Prowl® H₂O herbicide may be applied by ground or air as a single broadcast preemergence application to mint at 1.5 pints to 4.0 pints per acre, depending on soil texture (see table following), to dormant established mint before weed emergence. After a **Prowl H₂O** application, some temporary crop injury may be observed early in the growing season as mint breaks dormancy and begins to grow.

Prowl H₂O will not cause crop injury when applied according to the label under normal growing conditions. Nonuniform application may result in injury to crops, poor stands, or soil residues; conversely, uneven application may reduce weed control. Diseases, cold weather, excessive moisture, deep planting, low or high pH, salinity, or drought may weaken seedlings and plants and make them more susceptible to herbicidal damage.

Prowl H₂O Use Rate

Soil Texture*	Broadcast Rate (pts/A)
Coarse	1.5 to 2.0
Medium	2.0 to 4.0
Fine	2.0 to 4.0

* See the **Prowl H₂O** main container label for soil texture classifications.

Restrictions and Limitations

DO NOT apply **Prowl H₂O** to baby mint in the first year of mint growth and establishment.

DO NOT apply to mint that has broken dormancy or crop injury may result. Application to mint that is near dormancy break can result in crop injury. Risk of crop injury increases the closer to application is to mint dormancy break.

DO NOT apply to mint stands that have been weakened by age, disease, cold weather, excessive moisture, or other factors that reduce crop vigor. Mint growing under stress is more susceptible to herbicidal damage.

DO NOT apply more than 4.0 pints per acre per season.

DO NOT apply within 90 days of harvest.

DO NOT allow livestock to graze on treated spent hay or feed treated spent hay to livestock.

DO NOT apply this product on mint through any type of irrigation system.

Weeds Controlled

Refer to the **Prowl H₂O** main container label for a complete list of weeds controlled.

This supplemental label replaces and supersedes the supplemental label, NVA 2007-04-195-0046, due to expire on December 31, 2008.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

To the extent consistent with applicable law, BASF makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty.

To the extent consistent with applicable law, Buyer's exclusive remedy and BASF's exclusive liability, whether in contract, tort, negligence, strict liability, or otherwise, shall be limited to repayment of the purchase price of the product.

To the extent consistent with applicable law, BASF and the Seller disclaim any liability for consequential, special or indirect damages resulting from the use or handling of this product.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. 0408

Prowl is a registered trademark of BASF.

© 2008 BASF Corporation
All rights reserved.

000241-00418.2008923.NVA 2008-04-195-0268
Based on: NVA 2008-04-195-0213
Supersedes: NVA 2007-04-195-0046

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


The Chemical Company