




The Chemical Company



For use on bearing grape

This supplemental label expires on December 31, 2010.

EPA Reg. No. 241- 418

Active Ingredient*:

pendimethalin: (N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine) 38.7%

Other Ingredients: 61.3%

Total: 100.0%

*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

OBSERVE AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS, PRECAUTIONARY STATEMENTS, AND MIXING AND APPLICATION INSTRUCTIONS ON THE Prowl® H₂O herbicide MAIN CONTAINER LABEL BEFORE USING.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Refer to the **Prowl H₂O** container label, EPA Reg. No. 241-418, for complete **Directions For Use** and all applicable restrictions and precautions. User must have the full **Prowl H₂O** container label and this supplemental label in possession at the time of pesticide application.

General Information

Prowl H₂O controls most annual grasses and certain broadleaf weeds as they germinate. Refer to the **Prowl H₂O** main container label for complete listing of controlled weeds (see **Table 1. Weeds Controlled**).

Always perform a mixing test to check the compatibility of **Prowl H₂O** with all potential tank mix partners.

Endangered Species Protection

If endangered species occur in proximity to the application site, the following mitigation measures are required:

- If applied by ground, leave untreated buffer zone of 200 feet. The product must be applied using a low boom (20 inches above the ground) and ASAE fine to medium/coarse nozzles.

To determine whether your county has an endangered species, consult the website <http://www.epa.gov/espp/usa-map.htm>.

Endangered Species Bulletins may also be obtained from extension offices or state pesticide agencies. If the bulletin is not available for your specific area, check with the appropriate local state agency to determine if known populations of endangered species occur in the area to be treated.

Spray Drift. Avoiding spray drift at the application site is the responsibility of the applicator and the grower. The interaction of many equipment- and weather-related factors determines the potential for spray drift. The applicator and grower are responsible for considering all these factors when making decisions. It is the responsibility of the applicator to avoid spray drift onto nontarget areas.

Application Instructions

Prowl® H₂O herbicide may only be applied by ground, chemigation, or flood, flooded basin and gravity flow irrigation systems. With a single application, uniformly apply **Prowl H₂O** in bearing grape vineyards up to 6.3 quarts per acre depending on the grower's weed control program, level of weed infestation, and desired use strategy (see chart following).

Prowl H₂O may be applied anytime after fall harvest, during winter dormancy, and in the spring.

Prowl H₂O Use Rate per Acre

Low Use Rate	3.2 quarts
High Use Rate	6.3 quarts

Prowl H₂O should be applied prior to weed emergence. **EMERGED WEEDS WILL NOT BE CONTROLLED BY THIS TREATMENT.**

Follow all precautions and restrictions on the labels of all products applied in combination with **Prowl H₂O**. Always follow the most restrictive label.

Ground Applications

Prowl H₂O may be applied **surface incorporated or (surface) preemergence.**

Apply **Prowl H₂O** as a broadcast or banded treatment using ground equipment before weed emergence. Uniformly apply **Prowl H₂O** with properly calibrated ground equipment in 10 to 40 gallons of water per acre. Use sprayers equipped with nozzles that provide accurate and uniform application.

Apply the spray directly to the ground beneath the grape vines and/or in areas between rows.

DO NOT apply over the top of grape vines with leaves, or buds, or fruit. Contact with leaves, shoots, or buds by the spray mixture may cause injury.

Chemigation Applications

Prowl H₂O may be applied through sprinkler irrigation and drip irrigation systems. **DO NOT** apply through any other type of irrigation system. Refer to and follow all recommendations, special instructions, and precautions about chemigation in the **Spraying Instructions** section on the **Prowl H₂O** main container label. If you have any questions about calibration, you should contact state extension service specialists, equipment manufacturers, or other experts.

Flood, Flooded Basin, and Gravity Flow Irrigation Systems

Prowl H₂O may be applied in flood, flooded basin, and gravity flow irrigation systems. Follow all recommendations, special instructions, and precautions about flooded basin irrigation in the **Spraying Instructions** section on the **Prowl H₂O** main container label.

DO NOT apply **Prowl H₂O**-treated irrigation water over the top of grape vines with leaves, or buds, or fruit. Uniform distribution of **Prowl H₂O**-treated irrigation water is the sole responsibility of the applicator and is required to avoid crop injury, lack of herbicide effectiveness, or illegal pesticide residues in the crop.

For use directions on newly transplanted grapes, refer to the **Nonbearing Grape** section on the **Prowl H₂O** main container label.

Restrictions and Limitations

- **DO NOT** apply over the top of grape vines with leaves, or buds, or fruit.
- **DO NOT** apply by air.
- **DO NOT** apply more than 6.3 quarts per acre per year (a single growing season).
- **DO NOT** apply within 90 days of harvest of fruit.
- **DO NOT** feed forage or graze livestock in treated vineyards.
- **DO NOT** rotate to other crops for 24 months following a **Prowl H₂O** application to bearing grape vineyards.
- Apply this product **ONLY** through a drip irrigation system that has emitters above the soil surface.

This supplemental label replaces and supersedes the supplemental label, NVA 2008-04-195-0190, due to expire on December 31, 2009.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. 1108

Prowl is a registered trademark of BASF.

© 2008 BASF Corporation
All rights reserved.

000241-00418.20081201.NVA 2008-04-195-0343
Supersedes: NVA 2008-04-195-0190
Based on: NVA 2008-04-195-0213

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


The Chemical Company