



PROWL H₂O[®]

h e r b i c i d e

**Supplemental
Label**

FOR USE ON BEARING CITRUS AND NUT TREES

This supplemental label expires December 31, 2009.

EPA Reg. No. 241-418

Active Ingredient:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine 38.7%

Other Ingredients: 61.3%

Total: 100.0%

*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

OBSERVE AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, PRECAUTIONARY STATEMENTS, MIXING AND APPLICATION INSTRUCTIONS, AND FOLLOW-CROP RESTRICTIONS ON THE PROWL[®] H₂O HERBICIDE MAIN CONTAINER LABEL BEFORE USING.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

Prowl H₂O is a selective herbicide for controlling most annual grasses and certain broadleaf weeds as they germinate. Uniformly apply **Prowl H₂O** with properly calibrated ground equipment in 10 or more gallons of water or 20 or more gallons of liquid fertilizer per acre. Use sprayers equipped with nozzles that provide accurate and uniform application.

Adequate rainfall or irrigation after application prior to weed seedling emergence will provide the most effective weed control.

Always perform a mixing test to check the compatibility of **Prowl H₂O** with all potential tank mix partners.

Follow all precautions and restrictions on the labels of all products applied in combination with **Prowl H₂O**. Always follow the most restrictive label.

Endangered Species Protection

If endangered plant species occur in proximity to the application site, the following mitigation measures are required:

If applied by ground, leave untreated buffer zones of 200 feet. The product must be applied using a low boom (20 inches above the ground) and ASAE fine to medium/coarse nozzles.

To determine whether your county has an endangered species, consult the website <http://www.epa.gov/espp/usa-map.htm>.

Endangered Species Bulletins may also be obtained from extension offices or state pesticide agencies. If the bulletin is not available for your specific area, check with the appropriate local state agency to determine if known populations of endangered species occur in the area to be treated.

SPRAY DRIFT. Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determines the potential for spray drift.

The applicator and grower are responsible for considering all these factors when making decisions. It is the responsibility of the applicator to avoid spray drift onto nontarget areas.

Application Instructions

Prowl® H₂O Herbicide may be applied in the following citrus fruit-bearing and nut-bearing trees:

Citrus Fruits	Tree Nuts
calamondin	almond
citrus citron	beech nut
citrus hybrids	Brazil nut
grapefruit	butternut
kumquat	cashew
lemon	chestnut
lime	chinquapin
mandarin (tangerine)	filbert (hazelnut)
orange (sweet and sour)	hickory nut
pummelo	macadamia nut
satsuma mandarin	pecan
tangelo	pistachio
	walnut

Prowl H₂O may be only applied by ground, chemigation, or flood, flooded basin, or gravity flow irrigation systems.

Prowl H₂O may be applied either in a single application or sequentially with an interval of 30 days or more. Apply **Prowl H₂O** at between 2.0 to 6.3 quarts per acre (depending on desired length of control; see chart following) per application, but not to exceed a total of 4.2 quarts/A per year in pome, stone, and other fruit trees, and not to exceed a total of 6.3 quarts/A per year in citrus trees and tree nuts.

Prowl H₂O Use Rate per Acre

Short-term control	2.0 quarts
Long-term control	4.0 to 6.3 quarts

Ground Applications

Prowl H₂O may be applied surface incorporated or (surface) preemergence.

Apply **Prowl H₂O** as a broadcast or banded treatment using ground equipment before weed emergence. Apply the spray directly to the ground beneath the trees and/or in areas between rows.

DO NOT apply over the top of trees with leaves or buds or fruit. Contact by the spray mixture with leaves, shoots, or buds may cause injury.

Chemigation Applications

Prowl H₂O may be applied through sprinkler irrigation systems. Follow all recommendations, special instructions, and precautions in the general section covering chemigation in **Spraying Instructions** of the **Prowl H₂O** main container label. **DO NOT** apply **Prowl H₂O**-treated irrigation water over top of trees with leaves, or buds, or fruit. Contact with leaves, shoots, or buds by spray mixture may cause injury. Uniform distribution of **Prowl H₂O**-treated irrigation water is the sole responsibility of the applicator and is required to avoid crop injury, lack of herbicide effectiveness, or illegal pesticide residues in the crop.

Flood, Flooded Basin, and Gravity Flow Irrigation Systems

Prowl H₂O may be applied in flood, flooded basin, and gravity flow irrigation systems. Follow all recommendations, special instructions, and precautions in the general section covering **Flood, Flooded Basin, or Gravity Flow Irrigation** in **Spraying Instructions** of the **Prowl H₂O** main container label. Uniform distribution of **Prowl H₂O**-treated irrigation water is the sole responsibility of the applicator and is required to avoid crop injury, lack of herbicide effectiveness, or illegal pesticide residues in the crop.

Restrictions and Limitations

DO NOT apply more than 4.2 quarts of **Prowl H₂O** per acre per year in pome, stone, and other fruit trees.

DO NOT apply more than 6.3 quarts of **Prowl H₂O** per acre per year in citrus and nut trees.

DO NOT apply by air.

DO NOT feed forage or graze livestock in treated groves or orchards.

DO NOT apply within 1 day of harvest of citrus fruit.

DO NOT apply within 60 days of harvest of nuts, except almonds.

DO NOT apply within 120 days of harvest of almonds.

DO NOT apply to newly seeded nursery stock.

Weeds Controlled

Refer to the **Prowl H₂O** main container label for a complete list of weeds controlled.

This supplemental label replaces and supersedes the supplemental label, NVA 2007-04-195-0054, due to expire on December 31, 2008.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

To the extent consistent with applicable law, BASF makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty.

To the extent consistent with applicable law, Buyer's exclusive remedy and BASF'S exclusive liability, whether in contract, tort, negligence, strict liability, or otherwise, shall be limited to repayment of the purchase price of the product.

To the extent consistent with applicable law, BASF and the Seller disclaim any liability for consequential, special or indirect damages resulting from the use or handling of this product.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. 0408

Prowl is a registered trademark of BASF.

© 2008 BASF Corporation
All rights reserved.

000241-00418.20080424.NVA 2008-04-195-0154
Based on: NVA 2007-04-195-0163
Supersedes: NVA 2007-04-195-0054

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company