

TERRIFIC 10



CLEANER & DISINFECTANT

Disinfectant, sanitizer (non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Diocetyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See right panel for additional precautionary statements

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash, or recycle.

Stock #: 36932

Net Contents: 32 oz.

EPA Reg. No.: 10324-85-67589

EPA Est. No.: 67589-NC-001



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:** This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*. **FUNGICIDAL ACTIVITY:** This product is an effective against *Trichophyton mentagrophytes* (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control." **MOLD AND MILDEW CONTROL DIRECTIONS:** This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."** **PERSONAL PROTECTION:** Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device. **SANITIZING NON-FOOD CONTACT SURFACE DIRECTIONS:** This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. *Staphylococcus aureus*, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.

TERRIFIC 10

CLEANER & DISINFECTANT

Disinfectant, sanitizer (non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Dioctyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

See right panel for additional precautionary statements

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash, or recycle.

Stock #: 36901
Net Contents: 1 Gallon

EPA Reg. No.: 10324-85-67589
EPA Est. No.: 67589-NC-001



FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:**

This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*. **FUNGICIDAL ACTIVITY:** This product is an effective against Trichophyton mentagrophytes (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control."

MOLD AND MILDEW CONTROL DIRECTIONS: This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD /BODY FLUIDS" PERSONAL PROTECTION:** Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device. **NON-FOOD CONTACT SANITIZING PERFORMANCE:** This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. *Staphylococcus aureus*, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.

Sold By: H&H Products, Inc. 3418 US 301 N, Dunn, NC 28334 1-888-849-5787 hhprodinc.com

TERRIFIC

CLEANER & DISINFECTANT



ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Dioctyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Stock #: 36925

Net Contents: 2.5 gal.

EPA Reg. No.: 10324-85-67589

EPA Est. No.: 67589-NC-001

Disinfectant, sanitizer (Non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.



CAUTION

See right panel for additional precautionary statements

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger than 1 gal.): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:** This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the A0AC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*.

FUNGICIDAL ACTIVITY: This product is an effective against Trichophyton mentagrophytes (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control."**MOLD AND MILDEW CONTROL DIRECTIONS:** This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."**

PERSONAL PROTECTION: Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. *Staphylococcus aureus*, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.

TERRIFIC

CLEANER & DISINFECTANT



Disinfectant, sanitizer (Non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.



ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Diocetyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See right panel for additional precautionary statements

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger than 1 gal.): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents. **ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:** This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*. **FUNGICIDAL ACTIVITY:** This product is an effective against *Trichophyton mentagrophytes* (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control." **MOLD AND MILDEW CONTROL DIRECTIONS:** This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD /BODY FLUIDS."** **PERSONAL PROTECTION:** Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device. **NON-FOOD CONTACT SANITIZING PERFORMANCE:** This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. **Staphylococcus aureus, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces throughly wetting surfaces as recommended and required with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.**

Sold By: H&H Products, Inc. 3418 US 301 N, Dunn, NC 28334 1-888-849-5787 hhprodinc.com

TERRIFIC

CLEANER & DISINFECTANT



Disinfectant, sanitizer (Non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.



ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Diocetyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Stock #: 36915

Net Contents: 15 gal.

EPA Reg. No.: 10324-85-67589

EPA Est. No.: 67589-NC-001

See right panel for additional precautionary Statements

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger than 1 gal.): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents. **ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:** This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*. **FUNGICIDAL ACTIVITY:** This product is an effective against *Trichophyton mentagrophytes* (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control." **MOLD AND MILDEW CONTROL DIRECTIONS:** This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD /BODY FLUIDS."** **PERSONAL PROTECTION:** Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device. **NON-FOOD CONTACT SANITIZING PERFORMANCE:** This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. **Staphylococcus aureus, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces as recommended and required with a cloth, mop, or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.**

Sold By: H&H Products, Inc. 3418 US 301 N, Dunn, NC 28334 1-888-849-5787 hhprodinc.com

TERRIFIC

CLEANER & DISINFECTANT



Disinfectant, sanitizer (Non-food contact surfaces), fungicide, mildewstat, virucide,* deodorizer for hospitals, institutional, industrial use, homes, non-acid bathroom cleaner. Effective against HIV, HCV, & HBV.



55 Gallon

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Diocetyl dimethyl ammonium chloride.....	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS.....	99.914%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See right panel for additional precautionary statements

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger than 1 gal.): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Stock #: 36955

Net Contents: 55 gal.

EPA Reg. No.: 10324-85-67589

EPA Est. No.: 67589-NC-001

Sold By: H&H Products, Inc. 3418 US 301 N, Dunn, NC 28334 1-888-849-5787 hhprodinc.com

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. **PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents. **ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. **DISINFECTION, VIRUCIDAL* AND FUNGICIDAL CONTROL:** This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*. Apply this product undiluted to walls, floors and other hard (inanimate), non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food. **Note:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, preliminary cleaning is required. Wipe excess with sponge, mop, or cloth; or allow to air dry. This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Pseudomonas aeruginosa*, *Enterobacter aerogenes*, *Brevibacterium ammoniagenes*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Salmonella typhi*, *Salmonella enterica*, *Shigella dysenteriae*, *Klebsiella pneumoniae*, *Serratia marcescens*, *Escherichia coli*. **FUNGICIDAL ACTIVITY:** This product is an effective against *Trichophyton mentagrophytes* (athlete's foot fungus) (a cause of ringworm) and *Candida albicans* on inanimate, hard, non-porous surfaces in locker rooms, dressing rooms and shower and bath areas and exercise facilities. Apply this product undiluted and follow the directions under "Disinfection, Virucidal* and Fungicidal Control." **MOLD AND MILDEW CONTROL DIRECTIONS:** This product will effectively inhibit the growth of mold and mildew (*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective against the following viruses on hard non-porous environmental surfaces: Influenza A/Brazil, Herpes Simplex Type 1, and Herpes Simplex Type 2, HIV-1, Hepatitis B Virus, Hepatitis C Virus, and Vaccinia on inanimate hard non-porous environmental surfaces. Treated surfaces must remain wet for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. ***KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV, ON SURFACES/OBJECTS SOILED WITH BLOOD /BODY FLUIDS."** **PERSONAL PROTECTION:** Clean up must always be done wearing protective latex gloves, gowns, masks, and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for two minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. **NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush. For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device. **NON-FOOD CONTACT SANITIZING PERFORMANCE:** This product is an effective sanitizer on hard, non-porous environmental surfaces. Treated surfaces must remain wet for 5 minutes. Allow to air dry. **Staphylococcus aureus, *Klebsiella pneumoniae* **TO SANITIZE AND DEODORIZE:** Apply undiluted solution to hard, inanimate, non-porous surfaces throughly wetting surfaces as recommended and required with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 to 8 inches from surfaces. Rub with brush, sponge, or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry.**