

JohnsonDiversey



SKIDOO®

FOOD PLANT INSECT SPRAY

FOR: Food Plants, Bakeries, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Food Handling Plants, and for use in and around the Home.

ACTIVE INGREDIENTS:

Resmethrin [5-(phenylmethyl)-3-furanyl]
methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate.....0.568%

INERT INGREDIENTS:.....99.432%

TOTAL.....100.000%

* Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

EPA Reg. No. 11715-40-70627 EPA Est. No. 11715-TN-1

KEEP OUT OF REACH OF CHILDREN

CAUTION SEE OTHER PRECAUTIONS
ON SIDE PANEL.

Net Wt. 15 oz. (425 g)



50201-03 3186891 (03/269)

SKIDOO® FOOD PLANT INSECT SPRAY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE. Remove protective cap. Aim spray opening away from person. Push button to spray.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. **FOR CRAWLING INSECTS:** Roaches, earwigs, grain mites, sow bugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **WASPS:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION HARMFUL IF SWALLOWED

Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Remove pets, birds and cover fish aquariums before spraying. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-851-7145 for emergency medical treatment information.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not puncture or incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Questions? Comments: 1-800-242-1677 / www.jdbrands.com

†U.S. Patent No. 3,465,007
MSDS Ref. No. 126149002

Distributed by ©2003 JohnsonDiversey, Inc.,
Sturtevant, WI 53177-0902